

Washington State Speed Report

THIRD QUARTER OF CALENDAR YEAR 2005



Washington State Department of Transportation

In cooperation with the
United States Department of Transportation
Federal Highway Administration

WASHINGTON STATE
DEPARTMENT OF TRANSPORTATION

THIRD QUARTER SPEED REPORT FOR CALENDAR YEAR 2005

STRATEGIC PLANNING and PROGRAMMING

TRANSPORTATION DATA OFFICE

HIGHWAY USAGE BRANCH

CONTACT: MS:47380 PHONE: (360) 570-2392

July 1st through September 30th

TABLE OF CONTENTS

<u>EXECUTIVE SUMMARY</u>	1
<u>TOP TEN LIST</u>	2-6
<u>SITE SUMMARY</u>	7
<u>DETAILED SUMMARY</u>	8-9
<u>GRAPH—VEHICLES OBSERVED & OVERSPEED 2005 3RD QUARTER</u>	10
<u>GRAPH—AVERAGE SPEEDS & 85TH PERCENTILE 2005 3RD QUARTER</u>	11
<u>SPEED REPORT BACKGROUND</u>	12
<u>SPEED SITE DESCRIPTION</u>	13-14
<u>SITE MAP—STATEWIDE</u>	15
<u>SITE MAP—PUGET SOUND ENLARGEMENT</u>	16
<u>SITE DATA</u>	17-63
<u>GLOSSARY</u>	64

EXECUTIVE SUMMARY

This report is based upon three-day speed data samplings collected from Permanent Traffic Recorders (PTR) on state highways for the Third Quarter (July 1st through September 30th) of calendar year 2005.

Speed trends within the state are remaining consistent with 35 – 65 % of the vehicles observed on all highways traveling at or above the posted speed limit. The 85th percentile for state highways combined is averaging 3 to 8 MPH above the posted speed limit. The average speeds are at or slightly below (1 - 4 mph) the posted speed limits. (See “Detailed Summary”)

There were several PTR locations that reported vehicles traveling in excess of 100 miles per hour, which was from 1 vehicle to as many as 66 vehicles in the three-day sampling. Of the Top Ten 100+MPH Club, five (5) were rural sites and seven (7) were urban (4th & 8th place were tied). The Permanent Traffic Recorder (PTR) site at Preston on I-90 recorded 66 vehicles in excess of 100 miles-per-hour within the 72 hours collected, which put this site at the top of the 100+MPH Club for this quarter. Our Electronics crew checked this PTR site on September 6th, 2005 with a hand-held radar speed detector to verify the collected speeds. The site’s collection method proved to be within + or – 1 mph. (See Top Ten List)

When compared to state averages, some individual PTR locations tend to have a higher percentage of vehicles traveling faster than the posted speed limit. For example: the PTR at Lacey on I-5, milepost 111.01, recorded 87.3% of the vehicles observed were at or above the posted speed limit and 40.8% were traveling at least 5 mph or greater than the posted speed. (See “Top Ten List” or “Site Summary”)

The volume of vehicles recorded this quarter is comparable to same quarter of previous years on most state highways. However, the volumes have changed depending upon grouping of highway type (60 mph Interstate, 60 mph Non-Interstate, etc...). The number of sites operational during the quarter can cause changes in vehicle volumes reported. This may be due to equipment failure, construction activities, speed limit changes (which require a regrouping of sites within each highway group) and/or a normal growth pattern existing with economical growth. (See graph in “Detailed Summary”)

Please note: the current collection systems being used for this report reflects all vehicles observed within a random 72 hour speed sampling (Tuesday through Thursday), emergency and enforcement vehicles are included and may influence the numbers in an upward direction especially in the 100+ MPH group of the Top Ten Report (See “Top Ten List”)

Speed limit changes took place for SR-026 on August 17th, 2005 at milepost 42.83 to 43.27, which affected the Permanent Traffic Recorder near Othello. The posted speed was 65 mph and now the current posted speed limit is 60 mph. This change took place with the approval of WSP and the State Traffic Engineer’s Office.

Special speed studies are available from the Transportation Data Office by contacting the Automated Data Collection Section at 360-570-2392 or E-mailing tdoadc@wsdot.wa.gov

CALENDAR YEAR 2005

3RD QUARTER TOP TEN SITES

COMPRISED FROM ONE 3 DAY SAMPLING PER QUARTER--(TUESDAY THROUGH THURSDAY)

POSTED SPEED LIMITS ARE REPORTED AS CARS/TRUCKS (60/60: 70/60)

<u>TOP TEN LIST</u> <u>100+ MPH CLUB</u>														
<u>RANK / QTR</u>						<u>LOCATION</u>				<u>NUMBER OF VEHICLES AT & ABOVE 100 MPH</u>				
<u>FUTURE</u>	<u>CURRENT</u>	<u>PREVIOUS</u>	<u>PREVIOUS</u>	<u>FED SITE #</u>	<u>PTR/WIM SITE</u>	<u>SITE NAME</u>	<u>SR #</u>	<u>MILE POST</u>		<u>FUTURE</u>	<u>CURRENT</u>	<u>PREVIOUS</u>	<u>PREVIOUS</u>	
<u>4TH</u>	<u>3rd</u>	<u>2nd</u>	<u>1st</u>							<u>4TH</u>	<u>3rd</u>	<u>2nd</u>	<u>1st</u>	<u>FUNC CLS</u>
	1	1	1	60	S826	PRESTON	I-90	23.54			66	50	45	R-5
	2	2	3	73	S825	ISSAQUAH	I-90	14.65			34	35	21	U-5
	3	4	9	64	R045	WOODLAND	I-5	20.14			31	19	7	U-5
	4	6	7	67	S837	FIFE	I-5	136.8			27	13	11	U-5
	4	10	5	68	S809S	MIDWAY SB	I-5	148.07			27	9	15	U-5
	5	3	2	58	R001	MARYSVILLE	I-5	207.76			26	31	28	R-5
	6	7	4	66	R034	TACOMA 48TH ST	I-5	131.18			23	12	16	U-5
	7	9	6	65	R019	GRANDMOUND	I-5	86.32			13	10	12	R-5
	8	11	10	35	R081	PASCO COURT ST	I-182	6.34			12	7	6	U-5
	8	11	10	47	R061	ELTOPIA	SR-395	36.24			12	7	6	R-1
	9	5	7	15	R082	EVERETT/PACIFIC	I-5	193.29			11	17	11	U-5
	10	9	NR	74	R055	MOSES LAKE	I-90	180.33			8	10	NR	R-5

C = CONSTRUCTION
R = RURAL
U = URBAN

NR = NOT RANKED
FUNC CLS = FUNCTIONAL CLASS

SR = STATE ROUTE
ND = NO DATA AVAILABLE

CALENDAR YEAR 2005

3RD QUARTER TOP TEN SITES

COMPRISED FROM ONE 3 DAY SAMPLING PER QUARTER--(TUESDAY THROUGH THURSDAY)

POSTED SPEED LIMITS ARE REPORTED AS CARS/TRUCKS (60/60; 70/60)

TOP TEN LIST % OF VEHICLES AT & ABOVE SPEED LIMIT										LOCATION										% AT & ABOVE POSTED SPEED										+5 MPH			
RANK / QTR																																	
FUTURE	CURRENT	PREVIOUS	PREVIOUS	FED SITE #	PTR/WIM SITE #	SITE NAME	SR #	MILE POST		FUTURE	CURRENT	PREVIOUS	PREVIOUS	POSTED SPEED	FUTURE	CURRENT	PREVIOUS	PREVIOUS		FUTURE	CURRENT	PREVIOUS	PREVIOUS										
4TH	3rd	2nd	1st							4th	3rd	2nd	1st		4th	3rd	2nd	1st		4th	3rd	2nd	1st										
	1	1	1	5	R060	LACEY	I-5	111.01			83.7%	84.6%	84.1%	60/60		40.8%	43.57%	38.3%															
	2	3	2	63	R050	SILVERDALE	SR-003	44.33			80.6%	78.1%	77.7%	60/60		32.2%	29.88%	30.5%															
	3	2	3	73	S825	ISSAQUAH	I-90	14.65			79.0%	78.5%	76.3%	60/60		44.0%	44.20%	38.5%															
	4	3	7	44	R075	SALKUM	SR-012	77.78			77.0%	78.1%	68.1%	55/55		31.5%	29.95%	22.0%															
	5	6	5	36	R051	MILL PLAIN SB	I-205	29.09			73.3%	67.9%	69.9%	60/60		36.7%	31.02%	33.2%															
	6	8	NR	25	R020	OTHELLO	SR-017	30.37			70.4%	67.0%	NR	60/60		20.4%	17.59%	9.3%															
	7	5	6	48	P28	CHATTAROY	SR-002	301.4			70.2%	69.3%	68.5%	60/60		20.5%	17.51%	37.0%															
	8	9	8	34	R036	SPOKANE-SPRAGUE AVE	I-90	285.24			70.1%	66.7%	66.7%	60/60		19.2%	17.62%	17.6%															
	9	7	NR	41	P11	PATEROS	SR-097	250.35			69.2%	67.5%	NR	60/60		19.7%	16.82%	11.5%															
	10	4	9	49	P-15	SPANGLE	SR-195	87.7			68.8%	69.8%	65.0%	60/60		20.2%	23.29%	16.0%															

C = CONSTRUCTION
R = RURAL
U = URBAN

NR = NOT RANKED
FUNC CLS = FUNCTIONAL CLASS

SR = STATE ROUTE
ND = NO DATA AVAILABLE

CALENDAR YEAR 2005

3RD QUARTER TOP TEN SITES

COMPRISED FROM ONE 3 DAY SAMPLING PER QUARTER--(TUESDAY THROUGH THURSDAY)

POSTED SPEED LIMITS ARE REPORTED AS CARS/TRUCKS (60/60; 70/60)

TOP TEN LIST						LOCATION			AVERAGE SPEED (MPH)				
AVERAGE SPEED													
RANK / QTR													
FUTURE	CURRENT	PREVIOUS	PREVIOUS	FED SITE #	PTR/WIM SITE #	SITE NAME	SR #	MILE POST	FUTURE	CURRENT	PREVIOUS	PREVIOUS	POSTED SPEED LIMIT
4TH	3rd	2nd	1ST						4TH	3rd	2nd	1st	
	1	1	1	5	R060	LACEY	I-5	111.01		64.00	64.24	63.86	60/60
	2	3	2	63	R050	SILVERDALE	SR-003	44.33		63.27	62.98	62.97	60/60
	3	4	3	36	R051	MILL PLAIN SB	I-205	28.84		63.26	62.33	62.65	60/60
	4	2	4	73	S825	ISSAQUAH	I-90	14.65		63.23	62.99	62.47	60/60
	5	NR	NR	82	R066	OTHELLO EAST	SR-026	43.06		62.26	NR	NR	60/60
	6	7	9	41	P11	PATEROS	SR-097	250.35		61.84	61.58	60.61	60/60
	7	8	7	34	R036	SPOKANE-SPRAGUE AVE	I-90	285.24		61.79	61.48	61.48	60/60
	8	5	8	49	P15	SPANGLE	SR-195	87.7		61.76	62.06	61.31	60/60
	9	9	NR	25	R020	OTHELLO	SR-017	30.37		61.48	60.96	NR	60/60
	10	NR	NR	67	S837	FIFE	I-5	136.89		61.48	NR	NR	60/60
	1	1	1	60	S826	PRESTON	I-90	23.54		70.99	70.9	70.51	70/60
	2	6	6	35	R081	PASCO/SR 182	I-182	6.34		70.34	69.36	69.34	70/60
	2	6	6	47	R061	ELTOPIA	SR-395	38.21		70.34	69.36	69.34	70/60
	3	3	5	75	R014	TYLER/FISHTRAP	I-90	254.5		70.27	70.2	69.74	70/60
	4	8	9	59	P-10	RITZVILLE #1	I-90	218.83		70.23	68.86	68.47	70/60
	5	5	3	64	R045	WOODLAND	I-5	20.71		69.98	69.86	69.92	70/60
	6	2	4	74	R055	MOSES LAKE	I-90	180.33		69.96	70.18	69.75	70/60
	7	7	2	65	R019	GRAND MOUND	I-5	86.32		69.50	69.09	70.05	70/60
	8	10	8	76	P-24	STATELINE	I-90	298.4		69.19	68.46	68.69	70/60
	9	9	7	72	P08	BUENA	I-82	48.5		68.91	68.73	68.87	70/60
	10	4	5	58	R001	MARYSVILLE	I-5	207.76		68.87	69.94	69.74	70/60

C = CONSTRUCTION
R = RURAL
U = URBAN

NR = NOT RANKED
FUNC CLS = FUNCTIONAL CLASS

SR = STATE ROUTE
ND = NO DATA AVAILABLE

CALENDAR YEAR 2005

3RD QUARTER TOP TEN SITES

COMPRISED FROM ONE 3 DAY SAMPLING PER QUARTER--(TUESDAY THROUGH THURSDAY)

POSTED SPEED LIMITS ARE REPORTED AS CARS/TRUCKS (60/60; 70/60)

TOP TEN LIST 85TH PERCENTILE															
LOCATION															
RANK / QTR						85TH PERCENTILE									
FUTURE	CURRENT	PREVIOUS	PREVIOUS	FED SITE #	PTR/WIM SITE	SITE NAME	SR #	MILE POST	FUTURE	CURRENT	PREVIOUS	PREVIOUS	POSTED SPEED	FUNC CLS	
4TH	3rd	2nd	1st						4th	3rd	2nd	1st			
	1	1	1	73	S825	ISSAQUAH	I-90	14.65		69.80	69.88	69.24	60/60	U-5	
	2	3	3	36	R051	MILL PLAIN SB	I-205	28.84		69.57	68.84	69.05	60/60	U-5	
	3	2	2	5	R060	LACEY	I-5	111.01		69.37	69.45	69.06	60/60	U-5	
	4	5	5	63	R050	SILVERDALE	SR-003	44.33		68.58	68.32	68.36	60/60	U-1	
	5	NR	NR	82	R066	OTHELLO EAST	SR-026	43.06		68.53	NR	NR	60/60	R-1	
	6	7	4	67	S837	FIFE	I-5	136.8		68.52	67.95	68.40	60/60	U-5	
	7	4	6	68	S809S	MIDWAY SB	I-5	148.07		68.34	68.47	68.24	60/60	U-5	
	8	10	7	66	R034	TACOMA-48TH ST	I-5	131.18		68.00	67.31	67.59	60/60	U-5	
	9	NR	NR	70	P1	EVERETT	I-5	184.48		67.56	NR	NR	60/60	U-5	
	10	NR	NR	48	P28	CHATTAROY	SR-002	301.4		67.01	NR	NR	60/60	R-1	
	1	2	3	60	S826	PRESTON	I-90	14.65		77.63	77.26	76.79	70/60	R-5	
	2	6	7	35	R081	PASCO/SR 182	I-182	6.34		77.29	76.08	75.73	70/60	U-5	
	2	6	7	47	R061	ELTOPIA	SR-395	38.21		77.29	76.08	75.73	70/60	R-1	
	3	1	1	64	R045	WOODLAND	I-5	20.71		77.25	77.36	77.28	70/60	R-5	
	3	3	4	75	R014	TYLER/FISHTRAP	I-90	254.5		77.25	76.95	76.47	70/60	R-5	
	4	8	10	59	P10	RITZVILLE #1	I-90	218.83		76.51	75.02	74.68	70/60	R-5	
	5	7	2	65	R019	GRANDMOUND	I-5	86.32		76.48	75.58	76.94	70/60	R-5	
	6	5	6	74	R055	MOSES LAKE	I-90	180.33		76.45	76.48	76.14	70/60	R-5	
	7	4	5	58	R001	MARYSVILLE	I-5	207.76		75.24	76.75	76.30	70/60	R-5	
	8	10	9	62	P09	PLYMOUTH	I-82	121.2		75.16	74.84	74.70	70/60	R-1	
	9	NR	NR	57	B04	CLE ELUM	I-90	82.7		74.92	NR	NR	70/60	R-5	
	10	NR	NR	76	P24	STATELINE	I-90	298.4		74.89	NR	NR	70/60	R-5	

C = CONSTRUCTION
R = RURAL
U = URBAN

NR = NOT RANKED
FUNC CLS = FUNCTIONAL CLASS

SR = STATE ROUTE
ND = NO DATA AVAILABLE

CALENDAR YEAR 2005

3RD QUARTER TOP TEN SITES

COMPRISED FROM ONE 3 DAY SAMPLING PER QUARTER--(TUESDAY THROUGH THURSDAY)
POSTED SPEED LIMITS ARE REPORTED AS CARS/TRUCKS (60/60; 70/60)

TOP TEN LIST														
DIFFERENTIAL SPLIT == 85TH PERCENTILE MINUS AVG SPD FOR ALL SITES IN SPEED STUDY														
LOCATION														
FUTURE	RANK / QTR				PTR/WIM SITE	SITE NAME	SR #	MILE POST	DIFFERENTIAL SPLIT BY MPH					
	CURRENT	PREVIOUS	PREVIOUS	FED SITE #					FUTURE	CURRENT	PREVIOUS	PREVIOUS	POSTED SPEED	FUNC CLS
4TH	3rd	2nd	1st						4th	3rd	2nd	1st		
	1	2	4	83	S612	VERNITA BRIDGE	SR-024	43.5		10.15	10.27	8.97	60/60	R-2
	2	1	1	15	R082	EVERETT/PACIFIC	I-5	193.29		9.37	10.35	10.58	60/60	U-5
	3	6	7	68	S809S	MIDWAY	I-5	148.07		9.10	8.94	8.32	60/60	U-5
	4	NR		81	R062	RICHLAND	SR-240	37.53		8.97	NR	NR	55/55	U-1
	5	5	8	80	R077	STONEHENGE	SR-014	102.27		8.95	9.13	8.30	65/60	R-3
	6	12	11	22	R037	WINTHROP	SR-020	191.9		8.89	7.14	7.66	60/60	R-2
	7	7	3	21	R048	SELAH	I-82	24.83		8.66	8.30	9.31	70/60	R-5
	8	11	5	40	P02	COULEE CITY	SR-002	179.1		8.34	7.16	8.49	65/60	R-1
	9	4	9	66	R034	TACOMA/48TH ST	I-5	131.18		8.19	9.17	8.27	60/60	U-5
	10	8	6	70	P1	EVERETT	I-5	184.48		7.36	7.79	8.38	60/60	U-5
	11	9	13	62	P09	PLYMOUTH	I-82	121.2		7.27	7.53	7.21	70/60	R-5
	11	10	12	64	R045	WOODLAND	I-5	20.71		7.27	7.50	7.36	70/60	R-5
	12	10	19	67	S837	FIFE	I-5	136.8		7.17	7.50	6.60	60/60	U-5
	13	NR	15	65	R019	GRANMOUND	I-5	86.32		6.98	NR	6.89	70/60	R-5
	13	NR	17	75	R014	TYLER/FISHTRAP	I-90	254.5		6.98	NR	6.73	70/60	R-5
	14	NR	NR	35	R081	PASCO/SR 182	I-182	6.34		6.95	NR	NR	70/60	U-5
	14	NR	NR	47	R061	ELTOPIA	SR-395	38.21		6.95	NR	NR	70/60	R-1
	15	NR	18	77	B03	PASCO/SR 395	SR-395	27.2		6.83	NR	6.66	70/60	R-1

C = CONSTRUCTION
R = RURAL
U = URBAN

NR = NOT RANKED
FUNC CLS = FUNCTIONAL CLASS

SR = STATE ROUTE
ND = NO DATA AVAILABLE

THIRD QUARTER 2005 SPEED SITE SUMMARY

In summary, the ***VOLUME of Vehicles Observed / AT & ABOVE Posted Speed Limit*** for THIRD Quarter of Calendar Year 2005:

<u>POSTED SPEED LIMIT</u>	<u>VOLUME OBSERVED</u>	<u>AT & ABOVE</u>	<u>% AT & ABOVE POSTED SPEED</u>
70 MPH Non-interstate highways ==.....	101,913.....	46,795.....	45.9%
70 MPH Interstate highways ==.....	1,577,864.....	777,801.....	49.3%
65 MPH Non-Interstate highways ==.....	15,456.....	5,424.....	35.1%
60 MPH Non-interstate highways ==.....	454,990.....	295,278.....	64.9%
60 MPH Interstate highways ==.....	4,345,566.....	2,654,257.....	61.1%

Please see VEHICLES OBSERVED AT OR EXCEEDING POSTED SPEED LIMIT 2005 THIRD QUARTER GRAPH

In summary, the ***AVERAGE SPEED of Vehicles Observed / 85TH PERCENTILE of Vehicles Observed*** for THIRD Quarter of Calendar Year 2005

<u>POSTED SPEED LIMIT</u>	<u>AVERAGE SPEED</u>	<u>85TH PERCENTILE</u>
70 MPH Non-interstate highways ==.....	68 MPH.....	75 MPH
70 MPH Interstate highways =.....	69 MPH.....	76 MPH
65 MPH Non-interstate highways ==.....	61 MPH.....	69 MPH
60 MPH Non-interstate highways ==.....	60 MPH.....	66 MPH
60 MPH Interstate highways ==.....	61 MPH.....	68 MPH

Speeds in this table have been rounded to the next number.

Please see AVERAGE SPEEDS / 85TH PERCENTILE 2005 THIRD QUARTER GRAPH

For individual site data, please contact the Automated Data Collection Section at the Transportation Data Office (360-570-2392) or E-mail requests to tdoadc@wsdot.wa.gov.

DETAILED SUMMARY

The Top Ten List has two groups within two of the five categories of the TOP TEN LIST (Average Speed and 85th Percentile), one group is for highways with posted speeds of 60 mph and the other is for highways with a posted speed of 70 mph (These are the highways with the greatest volume of vehicles.)

AVERAGE SPEED:

Posted 60 MPH group:

Permanent traffic recorder (PTR) site FED#5, PTR R060, (Lacey), I-5, MP 111.01, is at the top of two of the five categories in the Top Ten List. This site ranked 1st in the Average Speed Category, with an average speed of 64.0 mph (4 mph over the posted speed limit) and ranked 1st with highest percentage of vehicles traveling at & above the posted speed limit, 83.7% during the three-day sampling. (See Top Ten List)

Posted 70 MPH group:

Permanent traffic recorder (PTR) site FED #60 PTR #S826 (Preston), milepost 23.54 on I-90, is at the top of three of the five categories in the Top Ten List. This site is ranked #1 for Average Speed with 70.99 mph, ranked 1st in the 100+ Club with 66 vehicles (38 eastbound and 28 westbound) recorded over 100 mph and ranked 1st in the 85th Percentile at 77.63 mph (7.63 mph over) within the three-day sampling.

(See Top Ten List)

85th PERCENTILE:

Posted 60 MPH group:

Permanent Traffic Recorder (PTR) site FED#73, PTR S825, (Issaquah), I-90, MP 14.65, is ranked #1 with an 85th percentile of 69.8 mph, ranked 4th in the Average Speed Category, with an average speed of 63.23 mph (3.23 mph over the posted speed limit). Ranked 2nd with the most vehicles over 100 mph (34) in the three-day sample and ranked 3rd in the highest percentage of vehicles traveling at & above the posted speed limit (79%). (See Top Ten List)

Posted 70 MPH group:

As noted above, the Permanent Traffic Recorder (PTR) site FED #60, PTR #S826 (Preston), I-90, MP 23.54, is ranked #1 for 85th Percentile with 77.63 mph (7.63 mph over posted speed). (See Top Ten List)

DETAILED SUMMARY CON'T:

In comparing the third quarters from Calendar years 2003 and 2004 to this quarter of 2005, the average speeds have remained relatively the same with only a slight variance in speeds. On highways with a 60 MPH posted speed limit the Average Speed is at the posted speed with only a slight change on interstates, on all other highway speed groups the Average Speed is slightly below the posted speed.

The 85th percentile has remained above the posted speed limit during all compared quarters, with little difference between quarters. (See chart below)

On highways with the posted speed of 60 mph, the percent of vehicles observed traveling at & above the posted speed limit has remained above 61% or greater.

On highways with a posted speed of 65 MPH, the percentage of vehicles traveling at & above the speed limit has risen this quarter compared to same quarter previous years. (See chart below)

On highways with a posted speed of 70 MPH, the percentage of vehicles at & above the posted speed has declined greatly compared to 2003 same quarter. (See chart below)

3rd QUARTER 2005 COMPARED TO 3rd QUARTER 2004 & 2003															
<u>HIGHWAY TYPE</u>	<u>AVG SPEED</u>			<u>85TH PERCENTILE</u>			<u>VEH OBSERVED</u>			<u>% AT & ABOVE THE POSTED SPEED</u>			<u>NUMBER OF SITES REPORTING DATA</u>		
	2003	2004	2005	2003	2004	2005	2003	2004	2005	2003	2004	2005	2003	2004	2005
<u>60 MPH INTERSTATE</u>	61MPH	60MPH	61MPH	68MPH	68MPH	68MPH	2,760,311	4,693,931	4,345,566	65%	58%	61%	7 of 12	12 of 12	11 of 12
<u>60 MPH NON- INTERSTATE</u>	60MPH	60MPH	60MPH	67MPH	67MPH	66MPH	446,488	445,227	454,990	63%	63%	65%	12 of 12	12 of 12	13 of 13
<u>65 MPH</u>	61MPH	61MPH	61MPH	69MPH	68MPH	69MPH	35,425	44,504	15,456	28%	23%	35%	4 of 4	4 of 4	3 of 3
<u>70 MPH INTERSTATE</u>	69MPH	69MPH	69MPH	76MPH	75MPH	76MPH	1,623,554	1,568,482	1,577,864	64%	50%	49%	14 of 14	14 of 14	14 of 14
<u>70 MPH NON- INTERSTATE</u>	69MPH	68MPH	68MPH	76MPH	75MPH	75MPH	60,133	102,249	101,913	59%	46%	46%	2 of 3	3 of 3	3 of 3

SPECIAL NOTE: Volumes of vehicles observed may vary quarter to quarter due to sites not recording data caused by construction, equipment failure and or weather related problems. Individual site data may vary from state averages, this may be due to construction activities and or weather related problems. The collection system currently used to produce this report collects all vehicles observed, Emergency and Enforcement vehicles are included and may be a contributing factor to the 100 MPH + category within the Top Ten List.

Also, please note that the number of sites for 60 mph Non-Interstate and 65 mph highways has changed, this is due to the posted speed limit changed from 65 to 60 mph at Permanent Traffic Recorder R066 (Othello, SR-026, mp 43.06) on August 17th, 2005 with the approval of WSP and the State Traffic Engineers Office.

VEHICLES OBSERVED / AT & ABOVE POSTED SPEED LIMIT 2005 THIRD QUARTER

70 MPH NON-INTERSTATE

VEHICLES OBSERVED

101,913

VEHICLES AT & ABOVE POSTED SPEED LIMIT

46,795

70 MPH INTERSTATE

VEHICLES OBSERVED

1,577,864

VEHICLES AT & ABOVE POSTED SPEED LIMIT

777,801

65 MPH NON-INTERSTATE

VEHICLES OBSERVED

15,456

VEHICLES AT & ABOVE POSTED SPEED LIMIT

15,424

60 MPH NON-INTERSTATE

VEHICLES OBSERVED

454,990

VEHICLES AT & ABOVE POSTED SPEED LIMIT

295,278


60 MPH INTERSTATE

VEHICLES OBSERVED

4,345,566

VEHICLES AT & ABOVE POSTED SPEED LIMIT

2,654,257



AVERAGE SPEEDS / 85TH PERCENTILE 2005 THIRD QUARTER

70 MPH NON-INTERSTATE
85TH PERCENTILE

AVERAGE SPEED

70 MPH INTERSTATE
85TH PERCENTILE

AVERAGE SPEED

65 MPH NON-INTERSTATE
85TH PERCENTILE


AVERAGE SPEED

60 MPH NON-INTERSTATE
85TH PERCENTILE

AVERAGE SPEED

60 MPH INTERSTATE
85TH PERCENTILE

AVERAGE SPEED



Speed Report Background

The Annual and Quarterly Speed Monitoring Program is administered by the Transportation Data Office of the Washington State Department of Transportation (WSDOT), in co-operation with the U. S. Department of Transportation (USDOT), Federal Highway Administration (FHWA).

Prior to the enactment of the Federally mandated National Maximum Speed Limit (NMSL), the purpose of the Speed Monitoring program was to provide reliable speed data for the purpose of evaluating speed trends to assist in highway design within the state. After the NMSL was instituted in 1974, states were required to have speed monitoring programs which determined if the motorists, within the state, were in compliance with the 55 mile per hour speed limits set by the NMSL.

In November 1995, the “National Highway Designation Act”, was enacted which resulted in the repeal of the NMSL. At that time, Washington State was no longer required to produce certification of speed limit enforcement. Even so, the program continued under the same format for several years.

Now the Annual/Quarterly Speed Monitoring Program is primarily intended to provide reliable data to be included in quarterly reports to be used in highway design, speed trend analysis, and collision analysis (as it relates to speeds).

Currently, there are 49 of 151 Permanent Traffic Recorder sites, within the speed program, being monitored on Washington State highways with posted speeds of 55 miles per hour or greater. Monitoring is conducted on a quarterly and annual basis, the calendar year is comprised from January 1st through December 31st; each quarter of the calendar year is represented in four intervals of three months each. The data is collected in 72 continuous hours (3 days) of mid-week sampling sessions per quarter in order to measure seasonal variations. The data is collected in five mile per hour increments. Annual and quarterly speed data is collected with permanent traffic recorders using Phoenix Traffic Counters (Diamond Traffic Product) and 1060 Weigh-In-Motion Collectors (International Roadway Dynamics (IRD)). In the report, Diamond units are referred to as Permanent Traffic Recorders (PTR) sites and IRD sites are referred to as Weigh-In-Motion (WIM). A description and location of each site is included within the report.

If there are any questions about this report please direct them to the Supervisor of the Automated Data Collection Section at 360-570-2392 or send E-mails to tdoadc@wsdot.wa.gov.

WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

SPEED SITE INFORMATIONAL REPORT

STRATEGIC PLANNING AND PROGRAMMING

TRANSPORTATION DATA OFFICE

HIGHWAY USAGE BRANCH

FEDERAL SPEED SITE NUMBER	Permanent Traffic Recorder PTR/WIM Site #	STATE ROUTE	MILE POST	Posted Speed Limit	FC	NHS	LOCATION	Direction	#Lanes	WSDOT REGION
5	<u>PTR-R060</u>	I-5	111.01	60/60	U-5	1	LACEY	North / South	4 - 3	OR
13	<u>PTR-S824</u>	I-405	28.99	60/60	U-5	1	BOTHEL	North / South	2 - 2	NWR
15	<u>PTR-R082</u>	I-5	193.29	60/60	U-5	1	EVERETT / PACIFIC	North / South	3 - 3	NWR
18	NO LONGER REPORTED									
21	<u>PTR-R048</u>	I-82	24.83	70/60	R-5	1	SELAH	Westbound	2	SCR
22	<u>PTR-R037</u>	SR-20	191.90	60/60	R-2	6	WINTHROP	East / West	1 - 1	NCR
23	NO LONGER REPORTED									
25	<u>PTR-R020</u>	SR-17	30.37	60/60	R-1	6	OTHELLO	North / South	1 - 1	NCR
26	NO LONGER REPORTED									
34	<u>PTR-R036</u>	I-90	285.24	60/60	U-5	1	SPOKANE / SPRAGUE AVE.	East / West	3 - 3	ER
35	<u>PTR-R081</u>	I-182	6.34	70/60	U-5	1	PASCO/SR 182	East / West	3 - 3	SCR
36	<u>PTR-R051</u>	I-205	28.84	60/60	U-5	1	MILL PLAIN	Southbound	3	SWR
40	<u>WIM-P02</u>	SR-2	179.10	65/60	R-1	5	COULEE CITY	East / West	1 - 1	NCR
41	<u>WIM-P11</u>	SR-97	250.35	60/60	R-1	5	PATEROS	North / South	1 - 1	NCR
43	<u>PTR-R041</u>	SR-97	13.41	60/60	R-1	5	GOLDENDALE	North / South	2 - 2	SWR
44	<u>PTR-R075</u>	SR-12	77.78	55/55	R-1	5	SALKUM	East / West	1 - 1	SWR
47	<u>PTR-R061</u>	SR-395	36.24	70/60	R-1	2	ELTOPIA	North / South	2 - 2	SCR
48	<u>WIM-P28</u>	SR-2	301.40	60/60	R-1	2	CHATTAROY	East / West	2 - 2	ER
49	<u>WIM-P15</u>	SR-195	87.70	60/60	R-1	5	SPANGLE	North / South	2 - 2	ER
56	<u>WIM-P17</u>	SR-221	13.10	65/60	R-2	6	PROSSER	North / South	1 - 1	SCR
57	<u>WIM-B04</u>	I-90	82.70	70/60	R-5	1	CLE ELUM	East / West	2 - 2	SCR
58	<u>PTR-R001</u>	I-5	207.76	70/60	R-5	1	MARYSVILLE	North / South	3 - 3	NWR
59	<u>WIM-P10</u>	I-90	218.83	70/60	R-5	1	RITZVILLE #1	East / West	2 - 2	ER
60	<u>PTR-S826</u>	I-90	23.54	70/60	R-5	1	PRESTON	East / West	4 - 3	NWR
61	<u>WIM-P29</u>	I-82	34.02	60/60	U-5	1	YAKIMA	East / West	2 - 2	SCR
62	<u>WIM-P09</u>	I-82	121.20	70/60	R-5	1	PLYMOUTH	East / West	2 - 2	SCR
63	<u>PTR-R050</u>	SR-3	44.33	60/60	U-1	4	SILVERDALE	North / South	2 - 2	OR
64	<u>PTR-R045</u>	I-5	20.14	70/60	R-5	1	WOODLAND	North / South	3 - 3	SWR
65	<u>PTR-R019</u>	I-5	86.32	70/60	R-5	1	GRAND MOUND	North / South	2 - 2	OR
66	<u>PTR-R034</u>	I-5	131.18	60/60	U-5	1	TACOMA / 48TH ST	North / South	4 - 4	OR

SITE NUMBER	PTR/WIM Site #	STATE ROUTE	MILE POST	Speed Limit	FC	NHS	LOCATION	Direction	#Lanes	WSDOT REGION
67	PTR-S837	I-5	136.80	60/60	U-5	1	FIFE	North / South	4 - 4	OR
68	PTR-S809	I-5	148.07	60/60	U-5	1	MIDWAY	Southbound	4	NWR
69	WIM-P3N	I-5	176.72	60/60	U-5	1	SEATTLE / NE 185th Street	Northbound	4	NWR
69	WIM-P3S	I-5	176.72	60/60	U-5	1	SEATTLE / NE 185th Street	Southbound	4	NWR
70	WIM-P1N	I-5	184.48	60/60	U-5	1	EVERETT	Northbound	4	NWR
70	WIM-P1S	I-5	185.35	60/60	U-5	1	EVERETT	Southbound	4	NWR
71	WIM-P04	I-5	261.33	70/60	R-5	1	FERNDAL	North / South	4 - 4	NWR
72	WIM-P08	I-82	48.50	70/60	R-5	1	BUENA	East / West	2 - 2	SCR
73	PTR-S825	I-90	14.65	60/60	U-5	1	ISSAQUAH	East / West	4 - 4	NWR
74	PTR-R055	I-90	180.33	70/60	R-5	1	MOSES LAKE	East / West	2 - 2	SCR
75	PTR-R014	I-90	254.23	70/60	R-5	1	TYLER/FISHTRAP	East / West	2 - 2	ER
76	WIM-P24	I-90	298.40	70/60	R-5	1	STATELINE	East / West	2 - 2	ER
77	WIM-B03	SR-395	27.20	70/60	R-1	2	PASCO / SR 395	North / South	2 - 2	SCR
78	NO LONGER REPORTED									
79	NO LONGER REPORTED									
80	PTR-R077	SR-14	102.27	65/60	R-3	6	STONEHENGE	East / West	1 - 1	SWR
81	PTR-R062	SR-240	37.53	55/55	U-1	6	RICHLAND	East / West	1 - 1	SCR
82	PTR-R066	SR-26	43.06	60/60	R-1	6	OTHELLO EAST	East / West	1 - 1	NCR
83	PTR-S612	SR-24	43.50	60/60	R-2	6	VERNITA BRIDGE	East / West	1 - 1	SCR
84	WIM-P01	SR-2	113.10	60/60	R-1	5	CASHMERE	East / West	2 - 2	NCR
85	WIM-P14	SR-195	22.20	60/60	R-1	5	PULLMAN	North / South	1 - 1	ER
86	WIM-P22	SR-97	335.30	60/60	R-1	5	OROVILLE	North / South	1 - 1	NCR
87	NO LONGER REPORTED									
88	PTR-R063	SR 395	190.29	60/60	R-1	2	LOON LAKE	North / South	1 - 1	ER
89	WIM-P7C	SR-395	93.01	70/60	R-1	2	RITZVILLE#2	North / South	2 - 2	ER

PTR = Permanent Traffic Recorder Site

WIM = Weigh-In-Motion Site

SPEED LIMIT= CARS / TRUCKS

FC = **State Functional Classification**
of Speed Sites

R5 or U5 Rural or Urban Interstate

R1 Rural Principal Arterial

R2 or R3 Rural Minor Arterial/Rural Collector

National Highway System Routes

1 - Interstate Route

2 - Congressional High Priority Route

3 - Strategic Highway (STRAHNET)

4 - Major Strategic Highway Connector

5 - Other NHS Routes

6 - Other State Highways

Wa. St. Dept. of Transp. Regions

OR Olympic Region


NWR Northwest Region

SWR Southwest Region

NCR North Central Region

SCR South Central Region

ER Eastern Region




WSDOT Regions

OL Olympic
 SW Southwest
 NW Northwest
 SC South Central
 NC North Central
 EA Eastern


Washington State Department of Transportation
 Transportation Data Office

Automated Speed Collection Sites Washington State Highways 2005



**Automated Speed
Collection Sites
Washington State
Highways
2005**

Washington State Department of Transportation
Transportation Data Office



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING




HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region OR	State Func. Class U-5	85th Pct.	% AT & ABOVE POSTED SPEED
5	PTR R060	I-5 MP-111.01 LACEY	1	12-Jul-05	60/60 NB	41,010	3,050,026	47,443	64.29	98.72%	86.44%	41.64%	8.68%	1.32%	0.23%	0.07%	0.02%	0.00%					69.41	86.4%
			2	12-Jul-05	60/60 SB	47,783	3,693,808	57,702	64.02	97.90%	82.81%	40.70%	8.85%	1.12%	0.21%	0.04%	0.02%	0.00%	1				69.40	82.8%
			3	13-Jul-05	60/60 NB	41,924	3,147,963	49,122	64.08	98.52%	85.35%	39.96%	7.94%	1.05%	0.16%	0.05%	0.01%	0.00%					69.27	85.3%
			4	13-Jul-05	60/60 SB	49,439	3,830,243	59,838	64.01	97.65%	82.62%	40.98%	9.06%	1.27%	0.22%	0.07%	0.02%	0.01%	1				69.44	82.6%
			5	14-Jul-05	60/60 NB	43,513	3,340,789	52,565	63.56	95.97%	82.78%	39.97%	7.79%	1.13%	0.18%	0.05%	0.01%					69.25	82.8%	
			6	14-Jul-05	60/60 SB	53,236	4,100,479	63,984	64.09	97.83%	83.20%	41.61%	9.00%	1.34%	0.21%	0.05%	0.02%	0.01%	2				69.45	83.2%
			TOTAL						276,905	21,163,309	330,654	64.00	97.75%	83.74%	40.83%	8.59%	1.21%	0.20%	0.06%	0.02%	0.01%	4		



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION


STRATEGIC PLANNING and PROGRAMMING

HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING




HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL Vehicles	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	Pct. >100	#Veh	Nat Hwy Sys 1	Region NWR	State Func. Class U-5	85th Pct.	% AT & ABOVE POSTED SPEED
15	PTR R082	I-5 MP-193.29 EVERETT/PACIFIC	1	12-Jul-05	60/60 NB	40,772	4,888,859	83,868	58.29	71.26%	48.61%	22.94%	5.57%	0.62%	0.12%	0.04%	0.01%	0.00%	1				67.69	48.6%	
			2	12-Jul-05	60/60 SB	47,713	5,276,293	89,490	58.96	76.59%	53.32%	19.45%	3.59%	0.43%	0.10%	0.04%	0.01%	0.00%	3				66.82	53.3%	
			3	13-Jul-05	60/60 NB	40,794	4,981,331	85,469	58.28	73.32%	47.73%	20.00%	4.06%	0.43%	0.08%	0.03%	0.01%	0.01%	3				66.99	47.7%	
			4	13-Jul-05	60/60 SB	43,969	5,183,693	90,388	57.35	70.79%	48.64%	17.88%	3.22%	0.37%	0.08%	0.03%	0.01%	0.00%	2				66.41	48.6%	
			5	14-Jul-05	60/60 NB	37,167	4,891,669	87,000	56.23	63.92%	42.72%	18.12%	4.02%	0.50%	0.10%	0.05%	0.01%	0.01%	2				66.54	42.7%	
			6	14-Jul-05	60/60 SB	38,995	5,025,677	92,006	54.62	61.24%	42.38%	14.91%	2.76%	0.34%	0.06%	0.02%	0.01%	0.00%					65.33	42.4%	
			TOTAL						249,410	30,247,521	528,221	57.26	69.46%	47.22%	18.81%	3.84%	0.45%	0.09%	0.03%	0.01%	0.01%	11			



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region SCR	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED
21	PTR R048	I-82 MP-24.83 SELAH	1	12-Jul-05	70/60 WB	2,956	513,493	7,891	65.07	85.24%	76.12%	60.99%	37.46%	7.54%	0.67%	0.20%	0.04%						74.13	37.5%
			2	13-Jul-05	70/60 WB	3,400	536,890	8,178	65.65	85.97%	78.06%	64.25%	41.57%	7.74%	0.75%	0.13%	0.05%	0.05%	1				74.30	41.6%
			3	14-Jul-05	70/60 WB	3,650	592,208	8,976	65.98	87.82%	79.53%	64.58%	40.66%	8.21%	0.78%	0.20%	0.07%	0.01%	1				74.33	40.7%
			TOTAL						10,006	1,642,590	25,045	65.59	86.40%	77.98%	63.34%	39.95%	7.85%	0.73%	0.18%	0.05%	0.02%	2		



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING




HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region NCR	State Func. Class R-2	85th Pct.	% AT & ABOVE POSTED SPEED
22	PTR R037	SR-20 MP-191.90 WINTHROP	1	12-Jul-05	60/60 EB	331	61,882	1,097	56.41	64.63%	30.17%	9.12%	1.91%	0.27%									64.00	30.2%
			2	12-Jul-05	60/60 WB	237	58,469	1,077	54.29	48.75%	22.01%	5.01%	0.65%	0.19%									62.49	22.0%
			3	13-Jul-05	60/60 EB	376	70,508	1,272	55.43	57.55%	29.56%	9.75%	2.04%	0.94%	0.24%	0.08%	0.08%	0.08%	1				64.07	29.6%
			4	13-Jul-05	60/60 WB	171	64,064	1,233	51.96	36.25%	13.87%	3.41%	0.73%	0.32%	0.16%	0.08%							60.12	13.9%
			5	14-Jul-05	60/60 EB	322	88,344	1,699	52.00	41.85%	18.95%	5.71%	1.41%	0.59%	0.12%								61.93	19.0%
			6	14-Jul-05	60/60 WB	222	78,762	1,547	50.91	35.04%	14.35%	3.62%	0.90%	0.52%	0.19%	0.06%	0.06%	0.06%					60.21	14.4%
			TOTAL						1,659	422,028	7,925	53.25	46.26%	20.93%	5.97%	1.27%	0.49%	0.13%	0.04%	0.03%	0.03%	1		



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 6	Region NCR	State Func. Class R-1	85th Pct.	% AT & ABOVE POSTED SPEED	
25	PTR R020	SR-17 MP-30.37 OTHELLO	1	12-Jul-05	60/60NB	1,933	170,516	2,763	61.71	92.07%	69.96%	22.11%	3.69%	0.98%	0.33%	0.25%	0.22%	0.18%	5				67.35	70.0%	
			2	12-Jul-05	60/60SB	1,875	169,820	2,792	60.82	89.61%	67.16%	17.55%	1.58%	0.50%	0.14%	0.11%							66.24	67.2%	
			3	13-Jul-05	60/60NB	2,001	173,453	2,817	61.57	92.47%	71.03%	20.77%	1.99%	0.67%	0.18%								66.82	71.0%	
			4	13-Jul-05	60/60SB	1,971	169,590	2,764	61.36	92.76%	71.31%	19.72%	1.88%	0.33%	0.14%	0.07%								66.75	71.3%
			5	14-Jul-05	60/60NB	2,119	184,229	2,977	61.88	93.35%	71.18%	22.61%	2.62%	0.81%	0.17%	0.10%	0.07%	0.07%					67.32	71.2%	
			6	14-Jul-05	60/60SB	2,066	177,931	2,894	61.48	93.09%	71.39%	19.32%	1.87%	0.31%	0.10%	0.07%	0.03%	0.03%	1				66.67	71.4%	
			TOTAL						11,965	1,045,538	17,007	61.48	92.24%	70.35%	20.36%	2.27%	0.60%	0.18%	0.10%	0.05%	0.05%	6			66.86



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING




HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	Pct. >100	#Veh >100	Nat Hwy Sys 1	Region ER	State Func. Class U-5	85th Pct.	% AT & ABOVE POSTED SPEED
34	PTR R036	I-90 MP- 285.00 SPOKANE / SPRAGUE AVE	1	12-Jul-05	60/60 EB	36,799	3,312,293	53,779	61.59	95.09%	68.43%	17.69%	2.17%	0.23%	0.05%	0.02%	0.01%	0.00%	0.00%	1			66.30	68.4%	
			2	12-Jul-05	60/60 WB	33,551	2,866,657	46,171	62.09	96.72%	72.67%	21.13%	2.31%	0.30%	0.06%	0.03%	0.01%	0.00%	0.00%				67.05	72.7%	
			3	13-Jul-05	60/60 EB	38,017	3,375,991	54,747	61.67	95.45%	69.44%	17.61%	2.23%	0.26%	0.06%	0.01%	0.00%	0.00%				66.28	69.4%		
			4	13-Jul-05	60/60 WB	33,539	2,873,169	46,333	62.01	96.41%	72.39%	20.50%	2.28%	0.27%	0.06%	0.03%	0.01%	0.00%	0.00%				66.93	72.4%	
			5	14-Jul-05	60/60 EB	36,054	3,387,889	55,285	61.28	94.04%	65.21%	16.24%	1.89%	0.22%	0.06%	0.03%	0.01%	0.00%	0.00%	1			65.87	65.2%	
			6	14-Jul-05	60/60 WB	34,928	2,939,367	47,217	62.25	96.88%	73.97%	22.84%	2.54%	0.29%	0.07%	0.03%	0.01%	0.00%	0.00%				67.34	74.0%	
			TOTAL					212,888	18,755,365	303,532	61.79	95.69%	70.14%	19.16%	2.22%	0.26%	0.06%	0.02%	0.01%	0.00%	0.00%	2			66.63



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region SCR	State Func. Class U-5	85th Pct.	% AT & ABOVE POSTED SPEED
35	PTR R081	I-182 MP-6.34 PASCO	1	26-Jul-05	70/60 EB	3,417	458,965	6,576	69.79	98.74%	96.32%	79.11%	51.96%	19.97%	2.55%	0.52%	0.17%	0.08%	1			76.85	52.0%	
			2	26-Jul-05	70/60 WB	3,837	460,748	6,504	70.84	99.09%	96.43%	81.92%	58.99%	25.58%	5.15%	0.91%	0.34%	0.14%	3			77.99	59.0%	
			3	27-Jul-05	70/60 EB	3,380	478,639	6,913	69.24	98.68%	95.23%	76.67%	48.89%	16.24%	1.94%	0.26%	0.12%	0.03%	1			75.88	48.9%	
			4	27-Jul-05	70/60 WB	4,019	476,518	6,719	70.92	99.21%	96.89%	82.27%	59.82%	25.39%	5.02%	1.09%	0.33%	0.06%	4			77.95	59.8%	
			5	28-Jul-05	70/60 EB	4,222	529,838	7,550	70.18	99.09%	96.20%	79.70%	55.92%	21.55%	2.83%	0.34%	0.13%	0.04%	1			77.17	55.9%	
			6	28-Jul-05	70/60 WB	4,605	524,931	7,385	71.08	99.35%	96.94%	83.20%	62.36%	24.97%	4.90%	0.97%	0.45%	0.14%	2			77.89	62.4%	
			TOTAL						23,480	2,929,638	41,647	70.34	99.03%	96.34%	80.48%	56.38%	22.28%	3.72%	0.68%	0.25%	0.08%	12		



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region SWR	State Func. Class U-5	85th Pct.	% AT & ABOVE POSTED SPEED
36	PTR R051	I-205	1	26-Jul-05	60/60 SB	46,226	3,923,125	61,858	63.42	94.46%	74.73%	37.72%	11.27%	2.26%	0.38%	0.08%	0.02%	0.00%	2	1	SWR	U-5	69.66	74.7%
		MP-29.09	2	27-Jul-05	60/60 SB	46,302	4,026,201	63,703	63.20	93.93%	72.68%	36.23%	10.72%	2.17%	0.32%	0.06%	0.02%	0.00%	1				69.53	72.7%
		MILL PLAIN	3	28-Jul-05	60/60 SB	46,857	4,072,478	64,474	63.16	93.27%	72.68%	36.30%	10.63%	2.16%	0.37%	0.07%	0.03%	0.01%	4				69.52	72.7%
		TOTAL					139,385	12,021,803	190,035	63.26	93.88%	73.35%	36.74%	10.87%	2.20%	0.36%	0.07%	0.02%	0.01%				7	69.57



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region	State Func. Class	85th Pct.	% AT & ABOVE POSTED SPEED
40	WIM P02	SR-2 MP-179.10 COULEE CITY	1	26-Jul-05	65/60 EB	186	25,420	414	61.40	84.30%	71.50%	44.93%	12.08%	4.35%	0.97%	0.24%				5	NCR	R-1	69.94	44.9%
			2	26-Jul-05	65/60 WB	190	27,509	449	61.27	83.96%	71.94%	42.32%	12.03%	2.67%	0.89%	0.22%							69.90	42.3%
			3	27-Jul-05	65/60 EB	207	28,659	461	62.17	84.82%	73.97%	44.90%	15.84%	5.42%	1.30%	0.22%							70.93	44.9%
			4	27-Jul-05	65/60 WB	173	27,304	441	61.91	85.03%	70.29%	39.23%	12.02%	4.99%	1.13%								69.85	39.2%
			5	28-Jul-05	65/60 EB	345	37,308	578	64.55	89.10%	80.97%	59.69%	23.70%	9.17%	2.08%	0.52%							73.43	59.7%
			6	28-Jul-05	65/60 WB	196	32,139	521	61.69	86.76%	72.17%	37.62%	10.56%	2.11%	0.58%								69.58	37.6%
TOTAL						1,297	178,339	2,864	62.27	85.86%	73.81%	45.29%	14.73%	4.92%	1.19%	0.21%							70.61	45.3%



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region NCR	State Func. Class R-1	85th Pct.	% AT & ABOVE POSTED SPEED
41	WIM P11	SR-97 MP-250.35 PATEROS	1	26-Jul-05	60/60 NB	1,551	135,956	2,190	62.08	94.57%	70.82%	22.60%	6.30%	1.23%	0.50%	0.05%							67.75	70.8%
			2	26-Jul-05	60/60 SB	1,572	144,932	2,364	61.31	93.91%	66.50%	13.71%	3.05%	0.72%	0.17%	0.04%	0.04%						65.23	66.5%
			3	27-Jul-05	60/60 NB	1,653	144,792	2,327	62.22	94.24%	71.04%	23.81%	6.49%	1.63%	0.26%	0.04%						67.95	71.0%	
			4	27-Jul-05	60/60 SB	1,655	149,442	2,423	61.68	94.63%	68.30%	18.08%	4.17%	0.91%	0.21%	0.04%						66.55	68.3%	
			5	28-Jul-05	60/60 NB	1,710	150,637	2,421	62.22	94.26%	70.63%	24.41%	6.73%	1.53%	0.45%	0.12%						68.07	70.6%	
			6	28-Jul-05	60/60 SB	1,639	148,597	2,413	61.58	94.49%	67.92%	16.00%	4.10%	1.04%	0.37%	0.04%						65.88	67.9%	
			TOTAL						9,780	874,356	14,138	61.84	94.35%	69.18%	19.72%	5.12%	1.17%	0.33%	0.06%	0.01%				66.90



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

																				Nat Hwy Sys 1	Region SWR	State Func. Class R-1	85th Pct.	% AT & ABOVE POSTED SPEED
Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100					
43	PTR R041	SR-97 MP-15.17 GOLDENDALE	1	26-Jul-05	60/60 NB	1,481	149,163	2,465	60.51	88.72%	60.08%	15.58%	2.92%	0.20%	0.04%								65.69	60.1%
			2	26-Jul-05	60/60 SB	1,422	141,482	2,323	60.90	90.44%	61.21%	16.01%	3.40%	0.34%								65.86	61.2%	
			3	27-Jul-05	60/60 NB	1,688	171,133	2,821	60.66	89.76%	59.84%	16.20%	2.52%	0.39%	0.04%	0.04%						65.89	59.8%	
			4	27-Jul-05	60/60 SB	1,516	148,452	2,435	60.97	89.77%	62.26%	17.86%	3.33%	0.29%	0.12%							66.43	62.3%	
			5	28-Jul-05	60/60 NB	1,577	158,863	2,627	60.47	87.97%	60.03%	15.00%	2.70%	0.49%	0.23%	0.15%						65.46	60.0%	
			6	28-Jul-05	60/60 SB	1,720	161,319	2,630	61.34	91.48%	65.40%	19.62%	3.42%	0.42%	0.08%	0.04%						66.86	65.4%	
			TOTAL						9,404	929,223	15,273	60.84	89.85%	61.57%	16.75%	3.04%	0.36%	0.09%	0.04%					66.03



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region SWR	State Func. Class R-1	85th Pct.	% AT & ABOVE POSTED SPEED
44	PTR R075	SR-12 MP-77.78 SALKUM	1	26-Jul-05	55/55 EB	3,325	234,590	4,050	57.92	82.10%	28.64%	2.02%	0.25%	0.05%	0.02%								62.97	82.1%
			2	26-Jul-05	55/55 WB	2,847	227,013	3,957	57.37	71.95%	34.42%	9.35%	2.58%	0.28%	0.10%	0.05%							64.25	71.9%
			3	27-Jul-05	55/55 EB	3,489	249,605	4,319	57.79	80.78%	26.83%	1.92%	0.30%	0.14%	0.09%	0.05%	0.05%						62.78	80.8%
			4	27-Jul-05	55/55 WB	3,024	239,809	4,175	57.44	72.43%	35.19%	9.82%	2.80%	0.72%	0.24%	0.10%							64.35	72.4%
			5	28-Jul-05	55/55 EB	3,618	258,442	4,461	57.93	81.10%	29.81%	2.47%	0.38%	0.11%	0.07%	0.02%	0.02%						63.11	81.1%
			6	28-Jul-05	55/55 WB	3,057	239,598	4,175	57.39	73.22%	34.68%	8.43%	2.06%	0.36%	0.12%								64.13	73.2%
			TOTAL						19,360	1,449,056	25,137	57.65	77.02%	31.54%	5.60%	1.37%	0.27%	0.11%	0.04%	0.01%				63.60



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region SCR	State Func. Class R-1	85th Pct.	% AT & ABOVE POSTED SPEED
47	PTR R061	SR-395 MP-36.24 ELTOPIA	1	26-Jul-05	70/60 NB	3,417	458,965	6,576	69.79	98.74%	96.32%	79.11%	51.96%	19.97%	2.55%	0.52%	0.17%	0.08%	1				76.85	52.0%
			2	26-Jul-05	70/60 SB	3,837	460,748	6,504	70.84	99.09%	96.43%	81.92%	58.99%	25.58%	5.15%	0.91%	0.34%	0.14%	3				77.99	59.0%
			3	27-Jul-05	70/60 NB	3,380	478,639	6,913	69.24	98.68%	95.23%	76.67%	48.89%	16.24%	1.94%	0.26%	0.12%	0.03%	1				75.88	48.9%
			4	27-Jul-05	70/60 SB	4,019	476,518	6,719	70.92	99.21%	96.89%	82.27%	59.82%	25.39%	5.02%	1.09%	0.33%	0.06%	4				77.95	59.8%
			5	28-Jul-05	70/60 NB	4,222	529,838	7,550	70.18	99.09%	96.20%	79.70%	55.92%	21.55%	2.83%	0.34%	0.13%	0.04%	1				77.17	55.9%
			6	28-Jul-05	70/60 SB	4,605	524,931	7,385	71.08	99.35%	96.94%	83.20%	62.36%	24.97%	4.90%	0.97%	0.45%	0.14%	2				77.89	62.4%
			TOTAL						23,480	2,929,638	41,647	70.34	99.03%	96.34%	80.48%	56.38%	22.28%	3.72%	0.68%	0.25%	0.08%	12		



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 5	Region ER	State Func. Class R-1	85th Pct.	% AT & ABOVE POSTED SPEED
48	WIM P-28	SR-2 MP-301.40 CHATTAROY	1	26-Jul-05	60/60 EB	6,722	592,656	9,746	60.81	91.63%	68.97%	19.60%	2.86%	0.47%	0.15%	0.04%	0.01%						66.80	69.0%
			2	26-Jul-05	60/60 WB	7,400	629,388	10,149	62.01	96.39%	72.91%	21.13%	3.41%	0.48%	0.09%	0.03%							67.15	72.9%
			3	27-Jul-05	60/60 EB	6,280	559,703	9,259	60.45	89.93%	67.83%	20.60%	3.18%	0.59%	0.18%	0.05%	0.01%						67.03	67.8%
			4	27-Jul-05	60/60 WB	7,384	633,484	10,224	61.96	95.93%	72.22%	21.21%	3.31%	0.55%	0.12%	0.01%							67.15	72.2%
			5	28-Jul-05	60/60 EB	7,104	637,726	10,539	60.51	90.56%	67.41%	20.53%	3.14%	0.60%	0.12%	0.04%	0.02%						67.01	67.4%
			6	28-Jul-05	60/60 WB	7,505	647,332	10,470	61.83	96.04%	71.68%	20.09%	2.95%	0.43%	0.13%								66.91	71.7%
			TOTAL						42,395	3,700,288	60,387	61.28	93.48%	70.21%	20.53%	3.14%	0.52%	0.13%	0.03%	0.01%				



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 5	Region ER	State Func. Class R-1	85th Pct.	% AT & ABOVE POSTED SPEED
49	WIM P-15	SR-195 MP-87.70 SPANGLE	1	9-Aug-05	60/60 NB	3,136	276,446	4,472	61.82	94.39%	70.13%	19.07%	3.42%	0.89%	0.34%	0.07%	0.02%						66.73	70.1%
			2	9-Aug-05	60/60 SB	2,960	275,148	4,472	61.53	92.44%	66.19%	19.95%	3.29%	0.83%	0.18%	0.04%	0.02%						66.91	66.2%
			3	10-Aug-05	60/60 NB	3,314	291,030	4,700	61.92	94.64%	70.51%	20.32%	3.96%	0.87%	0.17%	0.09%	0.02%						67.05	70.5%
			4	10-Aug-05	60/60 SB	3,088	282,485	4,587	61.58	92.37%	67.32%	20.67%	3.25%	0.74%	0.20%	0.04%	0.02%						67.05	67.3%
			5	11-Aug-05	60/60 NB	3,489	303,677	4,901	61.96	95.16%	71.19%	20.18%	3.69%	0.69%	0.14%	0.04%						66.99	71.2%	
			6	11-Aug-05	60/60 SB	3,251	299,008	4,846	61.70	93.21%	67.09%	20.95%	4.04%	0.85%	0.12%	0.04%						67.18	67.1%	
			TOTAL						19,238	1,727,794	27,978	61.76	93.72%	68.76%	20.20%	3.62%	0.81%	0.19%	0.05%	0.01%				66.99



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING




HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region	State Func. Class	85th Pct.	% AT & ABOVE POSTED SPEED
56	WIM P-17	SR-221 MP-13.10 PROSSER	1	9-Aug-05	65/60 NB	446	79,454	1,251	63.51	95.12%	75.62%	35.65%	12.31%	3.60%	1.28%	0.48%	0.08%			6	SCR	R-2	69.80	35.7%
			2	9-Aug-05	65/60 SB	555	74,442	1,142	65.19	97.29%	86.95%	48.60%	18.39%	5.25%	1.31%	0.44%	0.18%						71.74	48.6%
			3	10-Aug-05	65/60 NB	485	81,279	1,272	63.90	95.91%	78.85%	38.13%	12.89%	3.62%	1.34%	0.47%	0.24%						69.95	38.1%
			4	10-Aug-05	65/60 SB	532	75,729	1,166	64.95	96.14%	86.79%	45.63%	17.67%	4.63%	1.03%	0.51%	0.09%						71.48	45.6%
			5	11-Aug-05	65/60 NB	491	86,482	1,367	63.26	93.86%	75.49%	35.92%	11.12%	2.63%	1.10%	0.15%	0.07%						69.60	35.9%
			6	11-Aug-05	65/60 SB	559	76,908	1,180	65.18	96.86%	85.25%	47.37%	18.39%	5.68%	1.86%	0.42%	0.25%						71.78	47.4%
TOTAL						3,068	474,295	7,378	64.28	95.80%	81.21%	41.58%	14.95%	4.17%	1.31%	0.41%	0.15%						70.73	41.6%



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region SCR	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED
57	WIM-B-04	I-90 MP-82.70 CLE ELUM	1	9-Aug-05	70/60 EB	6,438	980,965	14,326	68.47	99.01%	92.91%	68.80%	44.94%	12.47%	2.05%	0.47%	0.09%						74.97	44.9%
			2	9-Aug-05	70/60 WB	5,919	938,503	13,887	67.58	96.90%	86.09%	64.80%	42.62%	11.15%	1.33%	0.24%	0.04%						74.75	42.6%
			3	10-Aug-05	70/60 EB	7,261	1,072,042	15,608	68.69	99.13%	93.68%	69.97%	46.52%	13.47%	1.93%	0.32%	0.04%						75.12	46.5%
			4	10-Aug-05	70/60 WB	6,453	1,009,761	14,898	67.78	96.89%	86.66%	67.10%	43.31%	11.67%	1.37%	0.18%	0.01%						74.83	43.3%
			5	11-Aug-05	70/60 EB	8,875	1,253,710	18,167	69.01	99.19%	94.01%	72.99%	48.85%	14.00%	2.06%	0.28%	0.05%						75.21	48.9%
			6	11-Aug-05	70/60 WB	7,226	1,132,800	16,746	67.65	96.81%	86.28%	66.99%	43.15%	10.17%	1.03%	0.16%	0.02%						74.63	43.2%
			TOTAL						42,172	6,387,780	93,632	68.22	98.02%	90.06%	68.62%	45.04%	12.20%	1.64%	0.27%	0.04%				74.92



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region NWR	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED
58	PTR R001	I-5 MP-207.76 MARYSVILLE	1	9-Aug-05	70/60 NB	20,852	3,018,449	43,482	69.42	99.12%	94.92%	79.35%	47.96%	15.69%	2.19%	0.25%	0.09%	0.03%	3	1			75.70	48.0%
			2	9-Aug-05	70/60 SB	18,535	3,024,038	44,281	68.29	98.08%	91.30%	74.43%	41.86%	11.76%	1.34%	0.17%	0.05%	0.01%	3				74.82	41.9%
			3	10-Aug-05	70/60 NB	20,868	3,112,605	44,924	69.29	99.12%	95.17%	79.18%	46.45%	15.17%	1.69%	0.23%	0.08%	0.04%	10				75.51	46.5%
			4	10-Aug-05	70/60 SB	19,447	3,079,257	45,008	68.42	97.86%	91.61%	75.13%	43.21%	12.40%	1.36%	0.17%	0.06%	0.02%	5				74.94	43.2%
			5	11-Aug-05	70/60 NB	21,955	3,269,695	47,198	69.28	99.18%	94.81%	78.99%	46.52%	15.14%	1.87%	0.20%	0.08%	0.03%	4				75.50	46.5%
			6	11-Aug-05	70/60 SB	20,122	3,142,725	45,843	68.55	98.21%	92.22%	76.26%	43.89%	12.56%	1.43%	0.17%	0.05%	0.01%	1				74.97	43.9%
			TOTAL						121,779	18,646,768	270,736	68.87	98.59%	93.34%	77.23%	44.98%	13.79%	1.65%	0.20%	0.07%	0.03%	26		



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

																				Nat Hwy Sys	Region ER	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED
Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100					
59	WIM-P-10	I-90 MP-218.83 RITZVILLE	1	9-Aug-05	70/60 EB	3,211	385,904	5,489	70.30	99.56%	96.36%	78.14%	58.50%	19.51%	3.99%	1.13%	0.16%			76.88			58.5%	
			2	9-Aug-05	70/60 WB	3,031	385,821	5,537	69.68	99.28%	94.53%	75.85%	54.74%	16.67%	3.03%	0.72%	0.07%			76.06			54.7%	
			3	10-Aug-05	70/60 EB	3,623	418,874	5,930	70.64	99.63%	96.68%	79.56%	61.10%	21.05%	4.65%	0.93%	0.17%			77.26			61.1%	
			4	10-Aug-05	70/60 WB	3,391	418,058	5,991	69.78	99.38%	94.76%	77.50%	56.60%	15.52%	2.49%	0.45%	0.07%			75.65			56.6%	
			5	11-Aug-05	70/60 EB	4,369	485,287	6,833	71.02	99.71%	97.38%	81.91%	63.94%	23.20%	4.55%	0.83%	0.15%			77.61			63.9%	
			6	11-Aug-05	70/60 WB	3,850	469,736	6,723	69.87	99.43%	94.73%	78.22%	57.27%	15.47%	2.60%	0.59%	0.10%			75.63			57.3%	
			TOTAL						21,475	2,563,680	36,503	70.23	99.50%	95.76%	78.64%	58.83%	18.62%	3.56%	0.77%	0.12%			76.51	



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region NWR	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED
60	PTR S826	I-90 MP-23.54 PRESTON	1	9-Aug-05	70/60 EB	15,397	1,902,999	27,116	70.18	98.82%	93.43%	81.96%	56.78%	18.84%	3.80%	1.11%	0.25%	0.09%	13				76.70	56.8%
			2	9-Aug-05	70/60 WB	18,370	1,969,030	27,335	72.03	99.81%	98.64%	90.48%	67.20%	28.41%	5.81%	1.01%	0.31%	0.07%	7				78.36	67.2%
			3	10-Aug-05	70/60 EB	14,326	1,870,114	27,267	68.59	92.92%	87.27%	76.18%	52.54%	17.27%	3.54%	0.95%	0.20%	0.06%	7				76.26	52.5%
			4	10-Aug-05	70/60 WB	18,733	1,979,471	27,417	72.20	99.75%	98.49%	90.63%	68.33%	29.91%	6.47%	1.08%	0.33%	0.10%	10				78.57	68.3%
			5	11-Aug-05	70/60 EB	17,029	2,091,446	29,775	70.24	98.72%	93.60%	82.09%	57.19%	19.44%	3.99%	1.04%	0.27%	0.09%	18				76.86	57.2%
			6	11-Aug-05	70/60 WB	20,027	2,051,822	28,232	72.68	99.84%	98.77%	91.26%	70.94%	34.42%	7.75%	1.25%	0.31%	0.09%	11				79.02	70.9%
			TOTAL						103,882	11,864,881	167,142	70.99	98.33%	95.04%	85.43%	62.15%	24.70%	5.22%	1.07%	0.28%	0.08%	66		



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region SCR	State Func. Class U-5	85th Pct.	% AT & ABOVE POSTED SPEED
61	WIM P-29	I-82 MP-34.02 YAKIMA	1	9-Aug-05	60/60 EB	12,850	1,454,273	24,145	60.23	90.56%	53.22%	11.34%	1.37%	0.21%	0.04%	0.01%							64.92	53.2%
			2	9-Aug-05	60/60 WB	11,713	1,355,891	22,520	60.21	91.48%	52.01%	11.32%	1.08%	0.20%	0.04%	0.00%							64.91	52.0%
			3	10-Aug-05	60/60 EB	13,368	1,490,860	24,707	60.34	90.76%	54.11%	12.10%	1.62%	0.28%	0.05%	0.02%	0.00%						65.01	54.1%
			4	10-Aug-05	60/60 WB	12,123	1,384,307	22,953	60.31	91.96%	52.82%	11.75%	1.34%	0.21%	0.06%	0.02%	0.00%						64.96	52.8%
			5	11-Aug-05	60/60 EB	13,159	1,511,237	25,118	60.17	89.98%	52.39%	11.35%	1.44%	0.19%	0.05%	0.02%	0.01%						64.92	52.4%
			6	11-Aug-05	60/60 WB	12,555	1,479,520	24,601	60.14	91.11%	51.03%	11.42%	1.12%	0.15%	0.02%	0.01%	0.00%						64.91	51.0%
			TOTAL						75,768	8,676,087	144,044	60.23	90.95%	52.60%	11.55%	1.33%	0.21%	0.04%	0.01%	0.00%				



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region SCR	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED		
62	WIM P-09	I-82 MP-121.20 PLYMOUTH	1	9-Aug-05	70/60 EB	4,725	627,511	9,035	69.45	99.19%	93.66%	75.23%	52.30%	15.97%	3.15%	0.63%	0.06%						75.82	52.3%		
			2	9-Aug-05	70/60 WB	3,152	554,383	8,416	65.87	87.52%	78.84%	64.60%	37.45%	8.85%	1.30%	0.26%	0.02%						74.30	37.5%		
			3	10-Aug-05	70/60 EB	4,917	650,262	9,351	69.54	99.28%	94.04%	75.79%	52.58%	15.90%	3.32%	0.87%	0.27%						75.80	52.6%		
			4	10-Aug-05	70/60 WB	3,250	583,171	8,833	66.02	87.84%	79.83%	65.97%	36.79%	8.97%	1.38%	0.24%	0.03%						74.29	36.8%		
			5	11-Aug-05	70/60 EB	5,579	703,148	10,065	69.86	99.33%	94.28%	77.61%	55.43%	17.37%	3.80%	0.79%	0.10%						76.31	55.4%		
			6	11-Aug-05	70/60 WB	3,700	637,137	9,617	66.25	88.51%	80.12%	66.77%	38.47%	9.66%	1.23%	0.14%	0.01%						74.44	38.5%		
			TOTAL						25,323	3,755,612	55,317	67.89	93.79%	87.02%	71.19%	45.78%	12.91%	2.40%	0.50%	0.08%					75.16	45.8%



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 5	Region OR	State Func. Class U-1	85th Pct.	% AT & ABOVE POSTED SPEED
63	PTR R050	SR-3 MP-44.33 SILVERDALE	1	9-Aug-05	60/60 NB	19,165	1,522,726	24,093	63.20	97.50%	79.55%	32.05%	5.17%	0.80%	0.18%	0.05%	0.02%	0.01%	1				68.56	79.5%
			2	9-Aug-05	60/60 SB	19,047	1,522,067	24,064	63.25	97.92%	79.15%	33.13%	5.20%	0.82%	0.14%	0.01%	0.01%	0.00%	1				68.63	79.2%
			3	10-Aug-05	60/60 NB	19,779	1,540,337	24,355	63.25	97.52%	81.21%	31.21%	5.30%	0.74%	0.18%	0.06%	0.03%	0.00%					68.52	81.2%
			4	10-Aug-05	60/60 SB	19,626	1,532,944	24,236	63.25	97.71%	80.98%	31.62%	5.02%	0.86%	0.15%	0.04%	0.02%	0.01%	1				68.51	81.0%
			5	11-Aug-05	60/60 NB	19,426	1,526,758	24,132	63.27	97.48%	80.50%	32.03%	5.63%	0.75%	0.19%	0.04%	0.02%	0.01%	1				68.61	80.5%
			6	11-Aug-05	60/60 SB	19,739	1,527,402	24,092	63.40	97.68%	81.93%	33.20%	5.54%	0.85%	0.18%	0.05%	0.02%	0.01%	1				68.67	81.9%
			TOTAL						116,782	9,172,234	144,972	63.27	97.63%	80.55%	32.21%	5.31%	0.80%	0.17%	0.04%	0.02%	0.01%	5		



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region SWR	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED
64	PTR R045	I-5 MP-20.71 WOODLAND	1	9-Aug-05	70/60 NB	20,913	2,507,945	35,753	70.15	99.19%	94.30%	75.35%	58.49%	21.82%	4.40%	0.56%	0.13%	0.04%	6				77.37	58.5%
			2	9-Aug-05	70/60 SB	19,912	2,540,210	36,204	70.16	99.45%	95.14%	78.48%	55.00%	22.09%	3.42%	0.77%	0.16%	0.04%	8				77.31	55.0%
			3	10-Aug-05	70/60 NB	21,943	2,619,955	37,316	70.21	99.42%	94.72%	75.36%	58.80%	21.76%	4.70%	0.56%	0.14%	0.02%	3				77.39	58.8%
			4	10-Aug-05	70/60 SB	20,967	2,630,592	37,429	70.28	99.49%	95.13%	79.16%	56.02%	22.94%	3.31%	0.69%	0.14%	0.04%	4				77.43	56.0%
			5	11-Aug-05	70/60 NB	22,974	2,759,650	39,312	70.20	99.24%	94.45%	75.92%	58.44%	22.06%	4.49%	0.56%	0.14%	0.04%	4				77.42	58.4%
			6	11-Aug-05	70/60 SB	19,004	2,713,031	39,363	68.92	97.78%	90.12%	71.99%	48.28%	18.61%	2.76%	0.56%	0.11%	0.05%	6				76.57	48.3%
			TOTAL						125,713	15,771,383	225,377	69.98	99.08%	93.94%	76.00%	55.78%	21.52%	3.84%	0.62%	0.14%	0.04%	31		



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region OR	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED
65	PTR R019	I-5 MP-86.32 GRANDMOUND	1	9-Aug-05	70/60 NB	15,222	2,175,564	31,384	69.32	99.36%	94.29%	73.23%	48.50%	18.82%	3.03%	0.33%	0.08%	0.02%	3	1			76.64	48.5%
			2	9-Aug-05	70/60 SB	16,547	2,205,733	31,654	69.68	99.57%	95.92%	76.02%	52.27%	17.85%	2.70%	0.41%	0.07%	0.01%	2				76.37	52.3%
			3	10-Aug-05	70/60 NB	16,697	2,297,767	33,014	69.60	99.50%	95.45%	74.60%	50.58%	19.76%	2.97%	0.28%	0.07%	0.02%					76.84	50.6%
			4	10-Aug-05	70/60 SB	17,180	2,289,614	32,859	69.68	99.63%	96.04%	76.33%	52.28%	17.54%	2.53%	0.31%	0.05%	0.02%	5				76.28	52.3%
			5	11-Aug-05	70/60 NB	16,563	2,405,086	34,718	69.27	99.33%	94.65%	73.17%	47.71%	18.70%	2.80%	0.24%	0.08%	0.01%	2				76.59	47.7%
			6	11-Aug-05	70/60 SB	17,500	2,456,856	35,379	69.44	99.60%	95.61%	75.45%	49.46%	17.12%	2.52%	0.30%	0.07%	0.01%	1				76.16	49.5%
			TOTAL						99,709	13,830,619	199,008	69.50	99.50%	95.33%	74.80%	50.10%	18.29%	2.75%	0.31%	0.07%	0.01%	13		



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region OR	State Func. Class U-5	85th Pct.	% AT & ABOVE POSTED SPEED
66	PTR R034	I-5 MP-131.18 48TH ST TACOMA	1	9-Aug-05	60/60 NB	52,343	5,787,839	99,395	58.23	75.53%	52.66%	23.27%	4.36%	0.67%	0.14%	0.04%	0.01%	0.00%	2				67.59	52.7%
			2	9-Aug-05	60/60 SB	55,433	6,193,191	103,244	59.99	75.57%	53.69%	27.15%	6.95%	1.26%	0.22%	0.06%	0.03%	0.01%	7				68.40	53.7%
			3	10-Aug-05	60/60 NB	58,825	6,238,339	103,676	60.17	82.54%	56.74%	23.85%	4.18%	0.65%	0.15%	0.04%	0.03%	0.01%	5				67.66	56.7%
			4	10-Aug-05	60/60 SB	54,487	6,261,160	105,028	59.61	74.82%	51.88%	24.85%	5.99%	1.02%	0.20%	0.07%	0.02%	0.01%	4				68.01	51.9%
			5	11-Aug-05	60/60 NB	64,585	6,448,652	105,612	61.06	86.40%	61.15%	27.19%	5.15%	0.84%	0.19%	0.05%	0.02%	0.01%	4				68.16	61.2%
			6	11-Aug-05	60/60 SB	57,694	6,408,960	107,295	59.73	75.40%	53.77%	26.17%	6.36%	1.10%	0.20%	0.06%	0.02%	0.00%	1				68.21	53.8%
			TOTAL						343,367	37,338,141	624,250	59.81	78.40%	55.00%	25.44%	5.51%	0.92%	0.18%	0.05%	0.02%	0.01%	23		



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region OR	State Func. Class U-5	85th Pct.	% AT & ABOVE POSTED SPEED
67	PTR S837	I-5 MP-136.80 FIFE	1	23-Aug-05	60/60 NB	75,579	6,153,528	97,609	63.04	95.11%	77.43%	33.57%	6.21%	0.93%	0.20%	0.07%	0.03%	0.02%	11				68.78	77.4%
			2	23-Aug-05	60/60 SB	59,397	5,819,776	97,155	59.90	77.33%	61.14%	30.67%	6.56%	1.00%	0.17%	0.05%	0.01%	0.01%	2				68.63	61.1%
			3	24-Aug-05	60/60 NB	73,114	6,181,455	98,831	62.55	93.86%	73.98%	30.73%	5.60%	0.81%	0.17%	0.05%	0.02%	0.01%	2				68.52	74.0%
			4	24-Aug-05	60/60 SB	60,708	5,999,407	99,045	60.57	81.26%	61.29%	28.94%	6.02%	0.92%	0.16%	0.05%	0.02%	0.01%	3				68.43	61.3%
			5	25-Aug-05	60/60 NB	75,226	6,284,166	100,201	62.72	94.61%	75.08%	31.05%	5.76%	0.85%	0.18%	0.05%	0.02%	0.00%	4				68.56	75.1%
			6	25-Aug-05	60/60 SB	51,201	5,594,909	94,554	59.17	71.73%	54.15%	26.10%	6.20%	0.98%	0.15%	0.03%	0.02%	0.01%	5				68.18	54.2%
			TOTAL						395,225	36,024,496	587,189	61.35	85.80%	67.31%	30.21%	6.06%	0.92%	0.17%	0.05%	0.02%	0.01%	27		



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING




HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region NWR	State Func. Class U-5	85th Pct.	% AT & ABOVE POSTED SPEED
68	PTR S809S	I-5 MP-148.07 MIDWAY	1	23-Aug-05	60/60 SB	68,797	6,338,995	103,148	61.46	86.96%	66.70%	29.26%	7.14%	1.12%	0.28%	0.10%	0.04%	0.02%	9				68.61	66.7%
			2	24-Aug-05	60/60 SB	64,795	6,319,991	104,629	60.40	83.58%	61.93%	26.64%	6.51%	0.99%	0.24%	0.07%	0.03%	0.02%	8				68.28	61.9%
			3	25-Aug-05	60/60 SB	53,141	5,638,374	101,106	55.77	67.30%	52.56%	25.42%	6.42%	1.00%	0.24%	0.10%	0.04%	0.02%	10				68.14	52.6%
			TOTAL						186,733	18,297,361	308,883	59.24	79.38%	60.45%	27.12%	6.69%	1.04%	0.25%	0.09%	0.04%	0.02%	27		



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region	State Func. Class	85th Pct.	% AT & ABOVE POSTED SPEED
69	WIM P-3N P-3S	I-5 MP-176.72 SEATTLE / NE 185TH ST	1 2 3 4 5 6	CONSTRUCTION ACTIVITIES NO DATA AVAILABLE AT THIS TIME	60/60 NB 60/60 SB 60/60 NB 60/60 SB 60/60 NB 60/60 SB															1	NWR	U-5		
TOTAL																								



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region NWR	State Func. Class U-5	85th Pct.	% AT & ABOVE POSTED SPEED
70	WIM P1N P1S	I-5	1	23-Aug-05	60/60 NB	59,754	5,897,493	97,132	60.72	84.14%	61.52%	25.64%	4.79%	0.53%	0.08%	0.01%	0.00%					67.95	61.5%	
		P-1N	2	23-Aug-05	60/60 SB	62,497	6,126,915	100,494	60.97	87.66%	62.19%	22.58%	3.39%	0.43%	0.08%	0.02%	0.00%					67.39	62.2%	
		MP-184.48	3	24-Aug-05	60/60 NB	57,919	5,891,109	98,143	60.03	81.38%	59.01%	23.89%	4.28%	0.51%	0.08%	0.01%	0.00%					67.67	59.0%	
		P-1S	4	25-Aug-05	60/60 SB	63,101	6,144,673	100,747	60.99	87.73%	62.63%	23.61%	3.59%	0.43%	0.08%	0.03%	0.01%					67.56	62.6%	
		MP-185.30	5	25-Aug-05	60/60 NB	55,857	5,850,964	99,760	58.65	76.22%	55.99%	23.47%	4.29%	0.45%	0.08%	0.02%	0.00%					67.61	56.0%	
		EVERETT	6	25-Aug-05	60/60 SB	58,423	6,055,380	101,142	59.87	82.45%	57.76%	21.27%	3.23%	0.39%	0.06%	0.02%	0.00%					67.15	57.8%	
TOTAL						357,551	35,966,534	597,418	60.20	83.28%	59.85%	23.39%	3.92%	0.46%	0.08%	0.02%	0.00%					67.56	59.8%	



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

																					Nat Hwy Sys 1	Region NWR	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED
Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100						
71	WIM P04	I-5 MP-261.33 FERNDALE	1	23-Aug-05	70/60 NB	6,031	1,543,615	23,304	66.24	97.95%	86.59%	61.21%	25.88%	3.67%	0.52%	0.11%	0.03%			72.85	25.9%				
			2	23-Aug-05	70/60 SB	8,023	1,646,226	24,539	67.09	97.81%	87.70%	68.01%	32.69%	5.91%	0.71%	0.15%	0.01%			73.69	32.7%				
			3	24-Aug-05	70/60 NB	5,840	1,570,204	23,816	65.93	97.23%	84.91%	59.51%	24.52%	3.22%	0.44%	0.09%	0.03%			72.64	24.5%				
			4	24-Aug-05	70/60 SB	8,748	1,671,923	24,801	67.41	98.21%	88.55%	69.93%	35.27%	6.57%	0.86%	0.10%	0.02%			73.91	35.3%				
			5	25-Aug-05	70/60 NB	6,024	1,627,747	24,666	65.99	97.56%	85.41%	59.87%	24.42%	3.28%	0.47%	0.09%	0.03%			72.63	24.4%				
			6	25-Aug-05	70/60 SB	8,382	1,695,095	25,265	67.09	97.63%	87.54%	67.94%	33.18%	6.20%	0.77%	0.09%	0.02%			73.75	33.2%				
			TOTAL						43,048	9,754,810	146,391	66.64	97.73%	86.80%	64.49%	29.41%	4.84%	0.63%	0.11%	0.02%		73.25	29.4%		



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING




HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region SCR	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED
72	WIM P-08	I-82 MP-48.50 BUENA	1	23-Aug-05	70/60 EB	6,390	883,122	12,762	69.20	99.54%	94.87%	77.96%	50.07%	10.62%	1.58%	0.38%	0.05%					74.81	50.1%	
			2	23-Aug-05	70/60 WB	5,817	853,644	12,438	68.63	99.39%	93.17%	75.79%	46.77%	7.49%	0.99%	0.17%	0.02%					74.41	46.8%	
			3	24-Aug-05	70/60 EB	6,073	884,038	12,854	68.78	99.35%	93.97%	75.64%	47.25%	9.06%	1.21%	0.16%	0.02%					74.59	47.2%	
			4	24-Aug-05	70/60 WB	6,127	871,873	12,672	68.80	99.29%	93.62%	76.57%	48.35%	8.25%	0.99%	0.17%	0.04%					74.53	48.4%	
			5	25-Aug-05	70/60 EB	6,475	916,075	13,279	68.99	99.54%	94.13%	76.83%	48.76%	10.17%	1.20%	0.18%	0.03%					74.74	48.8%	
			6	25-Aug-05	70/60 WB	6,623	911,804	13,207	69.04	99.44%	94.43%	77.25%	50.15%	9.30%	1.13%	0.22%	0.05%					74.67	50.1%	
			TOTAL						37,505	5,320,556	77,212	68.91	99.43%	94.04%	76.68%	48.57%	9.16%	1.19%	0.21%	0.03%				74.62



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region NWR	State Func. Class U-5	85th Pct.	% AT & ABOVE POSTED SPEED
73	PTR S825	I-90 MP-14.65 ISSAQUAH	1	6-Sep-05	60/60 EB	51,518	3,971,394	61,440	64.64	97.43%	83.85%	46.87%	13.40%	2.54%	0.42%	0.10%	0.03%	0.01%	6				70.12	83.9%
			2	6-Sep-05	60/60 WB	47,054	3,955,676	64,244	61.57	86.24%	73.24%	40.84%	10.20%	1.87%	0.33%	0.10%	0.04%	0.02%	4				69.58	73.2%
			3	7-Sep-05	60/60 EB	49,615	3,904,154	60,610	64.41	96.50%	81.86%	45.92%	12.66%	2.62%	0.53%	0.15%	0.05%	0.02%	8				70.01	81.9%
			4	7-Sep-05	60/60 WB	50,817	3,815,428	58,722	64.97	98.48%	86.54%	50.67%	12.32%	2.27%	0.40%	0.13%	0.05%	0.02%	6				70.01	86.5%
			5	8-Sep-05	60/60 EB	50,397	4,020,678	62,668	64.16	95.78%	80.42%	44.24%	11.93%	2.31%	0.45%	0.14%	0.05%	0.02%	6				69.88	80.4%
			6	8-Sep-05	60/60 WB	43,577	3,768,610	62,940	59.88	80.30%	69.24%	36.39%	8.33%	1.70%	0.34%	0.12%	0.04%	0.02%	4				69.19	69.2%
			TOTAL						292,978	23,435,941	370,624	63.23	92.32%	79.05%	44.05%	11.44%	2.21%	0.41%	0.12%	0.04%	0.02%	34		



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 1	Region NCR	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED
74	PTR R055	I-90 MP-180.33 MOSES LAKE	1	6-Sep-05	70/60 EB	2,910	361,512	5,178	69.82	98.96%	94.79%	77.66%	56.20%	16.98%	2.59%	0.46%	0.10%	0.02%					76.13	56.2%
			2	6-Sep-05	70/60 WB	3,722	439,463	6,238	70.45	99.52%	96.26%	79.67%	59.67%	20.98%	3.08%	0.67%	0.13%	0.06%	2				77.09	59.7%
			3	7-Sep-05	70/60 EB	2,512	331,749	4,781	69.39	98.93%	94.60%	73.83%	52.54%	16.36%	2.09%	0.48%	0.08%	0.04%	1				75.92	52.5%
			4	7-Sep-05	70/60 WB	2,812	347,227	4,956	70.06	99.15%	95.32%	77.87%	56.74%	19.81%	2.99%	0.52%	0.08%		4				76.86	56.7%
			5	8-Sep-05	70/60 EB	2,853	360,236	5,165	69.75	98.99%	94.46%	76.88%	55.24%	17.31%	2.30%	0.76%	0.23%	0.15%	4				76.21	55.2%
			6	8-Sep-05	70/60 WB	2,979	359,898	5,132	70.13	99.47%	96.08%	78.35%	58.05%	18.39%	2.61%	0.60%	0.16%	0.08%	1				76.51	58.0%
			TOTAL						17,788	2,200,085	31,450	69.96	99.19%	95.29%	77.49%	56.56%	18.41%	2.63%	0.59%	0.13%	0.06%	8		



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION


STRATEGIC PLANNING and PROGRAMMING

HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region ER	State Func. Class R-5	85th Pct.	% AT & ABOVE POSTED SPEED
76	WIM-P-24	I-90 MP-298.40 STATELINE	1	30-Aug-05	70/60 EB	10,824	1,709,028	24,948	68.50	99.49%	93.61%	76.52%	43.39%	7.26%	0.77%	0.10%	0.01%						74.30	43.4%
			2	30-Aug-05	70/60 WB	13,338	1,738,084	24,924	69.74	98.73%	94.18%	82.68%	53.51%	13.92%	2.40%	0.42%	0.06%						75.22	53.5%
			3	31-Aug-05	70/60 EB	10,779	1,759,265	25,710	68.43	99.52%	94.05%	76.57%	41.93%	6.79%	0.69%	0.09%	0.01%						74.21	41.9%
			4	31-Aug-05	70/60 WB	14,479	1,811,870	25,847	70.10	99.01%	94.91%	84.29%	56.02%	15.42%	2.77%	0.61%	0.09%						75.61	56.0%
			5	1-Sep-05	70/60 EB	10,726	1,844,287	27,064	68.15	99.28%	93.23%	74.97%	39.63%	6.17%	0.62%	0.11%	0.02%						74.06	39.6%
			6	1-Sep-05	70/60 WB	15,302	1,865,540	26,555	70.25	99.00%	95.10%	84.66%	57.62%	16.40%	2.77%	0.55%	0.10%						75.95	57.6%
			TOTAL						75,448	10,728,074	155,048	69.19	99.17%	94.18%	79.94%	48.66%	10.99%	1.67%	0.31%	0.05%				74.89



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING




HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 2	Region SCR	State Func. Class R-1	85th Pct.	% AT & ABOVE POSTED SPEED	
77	WIM B-03	SR-395 MP-27.20 PASCO	1	6-Sep-05	70/60 NB	2,045	440,590	6,646	66.29	97.71%	85.90%	58.59%	30.77%	4.38%	0.50%	0.05%							73.38	30.8%	
			2	6-Sep-05	70/60 SB	3,104	495,315	7,283	68.01	97.65%	91.49%	68.75%	42.62%	9.93%	1.44%	0.37%	0.07%						74.59	42.6%	
			3	7-Sep-05	70/60 NB	1,999	434,123	6,562	66.16	97.93%	85.00%	56.87%	30.46%	3.98%	0.46%	0.05%							73.31	30.5%	
			4	7-Sep-05	70/60 SB	2,661	446,405	6,604	67.60	97.44%	89.98%	66.31%	40.29%	8.60%	1.15%	0.35%	0.06%							74.36	40.3%
			5	8-Sep-05	70/60 NB	2,349	463,688	6,952	66.70	98.26%	87.36%	59.95%	33.79%	5.35%	0.63%	0.13%	0.03%							73.69	33.8%
			6	8-Sep-05	70/60 SB	3,042	469,806	6,902	68.07	98.06%	91.55%	68.97%	44.07%	9.13%	1.38%	0.22%	0.07%							74.53	44.1%
			TOTAL						15,200	2,749,928	40,949	67.15	97.84%	88.61%	63.35%	37.12%	6.95%	0.94%	0.20%	0.04%					73.98



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING

HIGHWAY USAGE BRANCH


QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER


July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER	DATE	POSTED	TOTAL VEHICLES	TOTAL	TOTAL	AVG	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat	State	85th	%		
			Q#	OF	SPEED	AT & ABOVE		VEHICLES												Speed			POSTED SPEED	Hwy	Func.
			SAMPLE	SAMPLE	CARS/TRUCKS		Average	OBSERVED												Sys	Class	Pct.	POSTED SPEED		
80	PTR R077	SR-14 MP-102.27 STONEHENGE	1	6-Sep-05	65/60 EB	105	46,987	841	55.87	58.62%	28.78%	12.49%	3.69%	0.83%	0.36%	0.24%	0.24%			6	SCR	R-3	64.62	12.5%	
			2	6-Sep-05	65/60 WB	264	51,510	858	60.03	78.79%	55.48%	30.77%	10.84%	2.91%	1.28%	0.47%							69.35	30.8%	
			3	7-Sep-05	65/60 EB	70	47,307	867	54.56	53.98%	21.80%	8.07%	1.73%	0.23%									62.91	8.1%	
			4	7-Sep-05	65/60 WB	257	51,142	857	59.68	75.38%	53.56%	29.99%	10.85%	2.68%	1.05%	0.23%							69.31	30.0%	
			5	8-Sep-05	65/60 EB	77	50,397	919	54.84	54.52%	21.55%	8.38%	1.52%	0.11%									62.92	8.4%	
			6	8-Sep-05	65/60 WB	286	52,479	872	60.18	76.61%	55.85%	32.80%	11.58%	2.75%	1.15%	0.23%	0.11%					69.58	32.8%		
			TOTAL					1,059	299,821	5,214	57.50	66.21%	39.34%	20.31%	6.66%	1.57%	0.63%	0.19%	0.06%					66.45	20.3%


AVERAGE SPEED / 85TH PERCENTILE



DIFFERENTIAL SPLIT = 85TH PERCENTILE MINUS AVG SPD BY DIRECTION



VEH OBSERVED / AT & ABOVE POSTED SPEED



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 6	Region SCR	State Func. Class U-1	85th Pct.	% AT & ABOVE POSTED SPEED
81	PTR R062	SR-240 MP-37.53 RICHLAND	1	13-Sep-05	55/55 EB	5,726	1,378,274	29,450	46.80	19.44%	3.65%	0.44%	0.10%	0.05%	0.03%	0.01%	0.01%	0.01%	2				56.83	19.4%
			2	13-Sep-05	55/55 WB	21,238	1,663,908	28,863	57.65	73.58%	33.43%	5.89%	0.80%	0.25%	0.07%	0.01%	0.00%		1				63.73	73.6%
			3	14-Sep-05	55/55 EB	5,093	1,333,646	28,359	47.03	17.96%	3.65%	0.44%	0.10%	0.03%	0.02%	0.02%	0.01%	0.01%					56.46	18.0%
			4	14-Sep-05	55/55 WB	21,257	1,692,928	29,513	57.36	72.03%	31.31%	5.24%	0.80%	0.22%	0.07%	0.02%	0.00%	0.00%					63.52	72.0%
			5	15-Sep-05	55/55 EB	5,012	1,301,800	28,446	45.76	17.62%	3.18%	0.34%	0.07%	0.02%	0.01%	0.00%							56.34	17.6%
			6	15-Sep-05	55/55 WB	13,732	1,321,358	25,918	50.98	52.98%	24.43%	4.12%	0.64%	0.16%	0.05%	0.03%	0.01%	0.01%	1				62.73	53.0%
			TOTAL					72,058	8,691,914	170,549	50.96	42.25%	16.56%	2.74%	0.42%	0.12%	0.04%	0.02%	0.01%	0.00%	4			



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region	State Func. Class	85th Pct.	% AT & ABOVE POSTED SPEED
82	PTR	SR-26	1	20-Sep-05	60/60 EB	323	64,618	1,034	62.49	92.17%	72.34%	31.24%	6.09%	1.84%	0.48%	0.19%	0.19%	0.10%	1	6	NCR	R-1	68.63	31.2%
	R066	MP-43.06	2	20-Sep-05	60/60 WB	316	64,401	1,033	62.34	92.55%	68.34%	30.59%	6.00%	1.16%	0.68%	0.48%	0.29%	0.19%	1				68.57	30.6%
		OTHELLO EAST	3	21-Sep-05	60/60 EB	284	62,183	1,001	62.12	91.01%	70.03%	28.37%	5.99%	1.20%	0.80%	0.40%	0.30%	0.20%	1				68.40	28.4%
			4	21-Sep-05	60/60 WB	329	67,696	1,090	62.11	91.56%	67.34%	30.18%	5.78%	0.83%	0.55%	0.18%							68.51	30.2%
		SPEED LIMIT	5	22-Sep-05	60/60 EB	335	70,916	1,137	62.37	93.23%	71.59%	29.46%	5.54%	0.70%	0.44%	0.09%							68.43	29.5%
		CHANGED 8/17/2005	6	22-Sep-05	60/60 WB	370	78,779	1,268	62.13	91.17%	68.45%	29.18%	7.10%	1.89%	0.47%	0.16%	0.16%	0.08%					68.61	29.2%
TOTAL						1,957	408,594	6,563	62.26	91.94%	69.65%	29.82%	6.11%	1.28%	0.56%	0.24%	0.15%	0.09%	3				68.53	29.8%



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 6	Region SCR	State Func. Class R-2	85th Pct.	
83	PTR	SR-24	1	20-Sep-05	60/60 EB	815	104,249	1,820	57.28	74.34%	44.78%	15.82%	3.13%	0.27%	0.22%	0.11%	0.11%	0.05%					65.79	44.8%
	S612	MP-43.50	2	20-Sep-05	60/60 WB	848	102,757	1,791	57.37	68.06%	47.35%	20.32%	6.20%	2.18%	0.84%	0.22%	0.11%	0.06%	1				67.31	47.3%
		VERNITA BRIDGE	3	21-Sep-05	60/60 EB	768	101,435	1,776	57.11	69.03%	43.24%	17.62%	3.66%	0.56%	0.23%	0.06%							66.39	43.2%
			4	21-Sep-05	60/60 WB	598	92,110	1,794	51.34	51.06%	33.33%	14.33%	3.68%	0.61%	0.11%								65.19	33.3%
			5	22-Sep-05	60/60 EB	942	113,472	1,966	57.72	75.23%	47.91%	19.07%	5.24%	0.92%	0.15%	0.10%	0.05%	0.05%	1				66.91	47.9%
			6	22-Sep-05	60/60 WB	803	104,635	1,857	56.35	66.83%	43.24%	18.26%	4.68%	1.02%	0.22%	0.05%	0.05%					66.64	43.2%	
			TOTAL			4,774	618,657	11,004	56.22	67.56%	43.38%	17.59%	4.44%	0.93%	0.29%	0.09%	0.05%	0.03%	2				66.37	43.4%



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region	State Func. Class	85th Pct.	% AT & ABOVE POSTED SPEED
84	WIM P01	SR-02 MP-113.10 CASHMERE	1	13-Sep-05	60/60 EB	5,741	639,414	10,689	59.82	86.85%	53.71%	9.02%	0.72%	0.14%	0.03%								64.70	53.7%
			2	13-Sep-05	60/60 WB	5,462	643,923	10,840	59.40	87.62%	50.39%	6.54%	0.39%	0.07%	0.03%	0.01%							64.41	50.4%
			3	14-Sep-05	60/60 EB	6,266	665,268	11,057	60.17	89.27%	56.67%	10.34%	0.81%	0.05%									64.86	56.7%
			4	14-Sep-05	60/60 WB	5,287	640,333	10,800	59.29	87.19%	48.95%	5.58%	0.28%	0.03%	0.03%	0.03%	0.01%						64.29	49.0%
			5	15-Sep-05	60/60 EB	6,550	702,749	11,695	60.09	88.10%	56.01%	10.23%	0.85%	0.11%	0.03%	0.01%	0.01%						64.84	56.0%
			6	15-Sep-05	60/60 WB	5,470	669,252	11,312	59.16	85.70%	48.36%	5.28%	0.34%	0.07%	0.01%								64.24	48.4%



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region	State Func. Class	85th Pct.	% AT & ABOVE POSTED SPEED
85	WIM P14	SR-195 MP-22.20 PULLMAN	1	20-Sep-05	60/60 NB	2,845	305,678	5,107	59.85	89.70%	55.71%	8.58%	0.59%	0.12%	0.02%					5	ER	R-1	64.68	55.7%
			2	20-Sep-05	60/60 SB	2,678	302,821	5,082	59.59	88.19%	52.70%	8.34%	0.47%	0.16%	0.04%								64.62	52.7%
			3	21-Sep-05	60/60 NB	2,834	306,689	5,130	59.78	89.20%	55.24%	8.40%	0.37%	0.08%	0.02%								64.66	55.2%
			4	21-Sep-05	60/60 SB	2,740	307,194	5,158	59.56	87.88%	53.12%	8.30%	0.39%	0.06%									64.62	53.1%
			5	22-Sep-05	60/60 NB	2,898	311,379	5,206	59.81	89.40%	55.67%	8.47%	0.50%	0.13%									64.67	55.7%
			6	22-Sep-05	60/60 SB	2,768	308,852	5,187	59.54	87.99%	53.36%	7.75%	0.35%	0.08%	0.06%								64.57	53.4%
			TOTAL				16,763	1,842,613	30,870	59.69	88.73%	54.30%	8.31%	0.44%	0.10%	0.02%							64.64	54.3%



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys	Region NCR	State Func. Class R-1	85th Pct.	% AT & ABOVE POSTED SPEED	
86	WIM P22	SR-97 MP-335.30 OROVILLE	1	20-Sep-05	60/60 NB	2,117	266,470	4,531	58.81	83.62%	46.72%	7.24%	0.24%	0.07%									64.39	46.7%	
			2	20-Sep-05	60/60 SB	2,068	269,442	4,614	58.40	79.97%	44.82%	6.68%	0.17%	0.04%	0.04%								64.28	44.8%	
			3	21-Sep-05	60/60 NB	2,161	269,895	4,584	58.88	83.40%	47.14%	7.55%	0.46%	0.13%	0.04%								64.43	47.1%	
			4	21-Sep-05	60/60 SB	2,064	269,420	4,608	58.47	80.49%	44.79%	6.75%	0.26%	0.09%	0.07%	0.04%							64.29	44.8%	
			5	22-Sep-05	60/60 NB	2,111	273,003	4,662	58.56	81.42%	45.28%	7.27%	0.32%	0.06%	0.04%								64.36	45.3%	
			6	22-Sep-05	60/60 SB	2,129	274,689	4,702	58.42	80.11%	45.28%	7.17%	0.21%	0.11%	0.02%								64.35	45.3%	
			TOTAL						12,650	1,622,919	27,701	58.59	81.49%	45.67%	7.11%	0.28%	0.08%	0.04%	0.01%					64.35	45.7%



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING


HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100	Nat Hwy Sys 2	Region ER	State Func. Class R-1	85th Pct.	% AT & ABOVE POSTED SPEED
88	PTR R063	SR-395 MP-190.29 LOON LAKE	1	20-Sep-05	60/60 NB	2,283	244,017	4,058	60.13	89.67%	56.26%	9.93%	0.89%	0.12%	0.02%								64.82	56.3%
			2	20-Sep-05	60/60 SB	2,113	241,958	4,095	59.09	81.05%	51.60%	9.50%	0.95%	0.17%	0.05%	0.02%	0.02%						64.71	51.6%
			3	21-Sep-05	60/60 NB	2,275	250,397	4,178	59.93	88.56%	54.45%	8.66%	0.74%	0.24%	0.05%	0.02%	0.02%	0.02%					64.67	54.5%
			4	21-Sep-05	60/60 SB	2,242	245,302	4,119	59.55	84.10%	54.43%	10.68%	0.92%	0.12%									64.87	54.4%
			5	22-Sep-05	60/60 NB	2,153	247,865	4,153	59.68	87.17%	51.84%	8.98%	0.43%	0.07%	0.02%	0.02%							64.66	51.8%
			6	22-Sep-05	60/60 SB	2,069	247,176	4,176	59.19	81.85%	49.55%	8.96%	0.98%	0.17%	0.10%	0.05%	0.02%	0.02%					64.62	49.5%
			TOTAL						13,135	1,476,715	24,779	59.60	85.39%	53.01%	9.45%	0.82%	0.15%	0.04%	0.02%	0.01%	0.01%			



WASHINGTON STATE DEPARTMENT OF TRANSPORTATION

STRATEGIC PLANNING and PROGRAMMING




HIGHWAY USAGE BRANCH

QUARTERLY SPEED REPORT FOR CALENDAR YEAR 2005

3RD QUARTER

July 1st through September 30th

																					Nat Hwy Sys 2	Region ER	State Func. Class R-1	85th Pct.	% AT & ABOVE POSTED SPEED
Site #	PTR/WIM SITE	State Route & Location	NUMBER OF SAMPLE	DATE OF SAMPLE	POSTED SPEED CARS/TRUCKS	TOTAL VEHICLES AT & ABOVE POSTED SPEED	TOTAL Average	TOTAL VEHICLES OBSERVED	AVG Speed	Pct. >55	Pct. >60	Pct. >65	Pct. >70	Pct. >75	Pct. >80	Pct. >85	Pct. >90	Pct. >95	#Veh >100						
89	WIM P7C	SR-395 MP-93.01 RITZVILLE #2	1	20-Sep-05	70/60 NB	1,297	217,626	3,223	67.52	99.16%	88.99%	61.25%	40.24%	9.80%	1.77%	0.43%	0.12%			74.52	40.2%				
			2	20-Sep-05	70/60 SB	1,277	204,461	3,006	68.02	99.20%	92.51%	66.70%	42.48%	9.45%	1.23%	0.47%	0.03%			74.53	42.5%				
			3	21-Sep-05	70/60 NB	1,254	210,504	3,116	67.56	99.26%	88.99%	61.94%	40.24%	9.31%	1.93%	0.58%	0.13%			74.45	40.2%				
			4	21-Sep-05	70/60 SB	1,342	215,720	3,167	68.11	99.43%	93.84%	67.10%	42.37%	8.84%	1.45%	0.41%	0.03%			74.45	42.4%				
			5	22-Sep-05	70/60 NB	1,527	238,617	3,517	67.85	99.15%	89.34%	64.12%	43.42%	9.84%	1.85%	0.45%	0.09%			74.60	43.4%				
			6	22-Sep-05	70/60 SB	1,418	224,462	3,288	68.27	99.54%	93.77%	67.46%	43.13%	10.28%	2.04%	0.49%	0.06%			74.65	43.1%				
			TOTAL						8,115	1,311,390	19,317	67.89	99.29%	91.21%	64.75%	42.01%	9.60%	1.72%	0.47%	0.08%			74.53	42.0%	



GLOSSARY

85TH PERCENTILE.....The speed at or below which 85% of the vehicles observed were traveling.

AVERAGE SPEED.....The sum of speeds divided by the number of vehicles that were observed.

PTR.....Permanent Traffic Recorder (PTR)

IRD.....International Roadway Dynamics

WIM—Weigh-in-Motion—type of site collects:

Speed, Classification, Length, Volume and Weight data is collected at these sites.

DIAMOND.....Diamond Traffic Products

PTR—Permanent Traffic Recorder—type of site collects:

Speed, Classification, Length and Volume data collected at these sites.

FEDERAL FISCAL YEAR.....October 1st through September 30th

FEDERAL FISCAL QUARTER.....1ST-----October 1st through December 31st
2ND-----January 1st through March 30th
3RD-----April 1st through June 30th
4TH-----July 1st through September 30th

CALENDAR YEAR.....January 1st through December 31st

CALENDAR YEAR QUARTERS.....1ST-----January 1st, February, March 30th
2ND-----April 1st, May, June 30th
3RD-----July 1st, August, September 30th
4TH-----October 1st, November, December 30th